

Looks Good, Feels Good

Sapphire Gas Flame Fire

The stylish and versatile Sapphire has been given a beautiful, new look. The Sapphire now includes a new log set that provides a fresh and improved flame. The aesthetic quality of the burner box has also been improved and now includes ceramic liners, making the Sapphire even more visually appealing. This subtle improvement to the Sapphire maintains the inviting, cosy warmth of an open fire, but without all the bother that goes with it. With inbuilt and freestanding options available, the Sapphire Gas Log Fire is designed to enhance the feel of any living area.





Features

- High 4.0 Star energy efficiency
- Powerful 6.97kW heat output suitable for heating large open plan areas
- Log set that provides a new and improved flame picture
- Instant heat source with the ambience and glow of flickering flames
- Inbuilt and freestanding models
- Easy to use remote, with room temperature display and flame control
- Available in 5 stylish fascia options: stainless steel on black, stainless steel, black, classic silver or classic bronze
- Stylish glass dress guard for protection

*10 Year pro rata heat exchanger warranty, see back page for more info.





Black Inbuilt



Stainless Steel Freestanding Plinth




Stainless Steel on Black Freestanding Floor


Specifications

	Visual Dimensions* (mm)		Inbuilt Cavity Dimensions (mm)			Efficiency Star Rating AS4553	Colour	Gas Input		kW Output	'Heats up to' Capacity (m2)				
	н	w	D	н	w	D			Low	High		Very Cold	Cold	Cool	Mild
								Inbuilt							
Masonry	660	865	62	600	695	370	4.0	Stainless Steel / Black Stainless Steel Black	14	30	6.97	60	70	95	108
Zero Clearance	660	865	62	600	695	420	4.0		14	30	6.97	60	70	95	108
Free-standing															
Freestanding Floor	760	865	425		n/a		4.0	Stainless Steel / Black Stainless Steel Black	14	30	6.97	60	70	95	108
Freestanding Plinth	837	865	425		n/a		4.0		14	30	6.97	60	70	95	108


Flueing Options



Inbuilt Masonry



Inbuilt Zero Clearance



Freestanding (Floor & Plinth)

Purchasing your Rinnai Sapphire

The Sapphire 'engine' and fascia are ordered and supplied separately. Your Rinnai stockist can assist you with the available options, and also the correct selection of an approved Rinnai flue kit to suit your installation.

Inbuilt - Existing fireplaces

Flue required, flue components vary depending on the installation location

Inbuilt - False fireplaces

Additional Zero Clearance Box & flue components depending on the installation location

Freestanding - Floor mounted

Additional Console Kit & flue components depending on the installation location

Freestanding - With plinth

Additional Plinth Kit & flue components depending on the installation location

Warranty

	Heat Exchanger	Fan	All Other Parts	Free Labour			
Domestic Use	10 years pro rata ⁽¹⁾	2 years	1 year	1 year			
Commercial Use	1 year on all parts and labour						

Please note: For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to www.rinnai.com.au (1) Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If hardwiring is required, consult a licensed electrician. #Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai Australia Pty Ltd reserves the right to make modifications and change specifications without notice. # Refers to the visual appearance of the appliance external to the wall for inbuilt models.

Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive, Keysborough, Victoria 3173

For further information visit

www.rinnai.com.au

or call 1300 555 545

Rinnai New Zealand

105 Pavilion Dr, Mangere, Auckland 2150, New Zealand,

www.rinnai.co.nz

Ph +64 9 257 3800

TOTAL HOME COMFORT







