


Inverter Multi Split System

Rinnai

Relax with Rinnai.



The Perfect Multi Room Solution



Economical Solutions

When your home requires heating or cooling in more than one room, or independent room control is needed, the Rinnai Inverter Multi Split System is the simplest way to heat or cool up to five individual rooms with only one outdoor unit.

Traditionally, five rooms would require five indoor units and five outdoor units. This does not allow for the most efficient use of your outdoor space, and can create quite an obtrusive appearance to your home. Rinnai Inverter Multi Split Systems solves this problem and provides individual control of the air conditioning in each room. This optimises comfort and saves on running costs by either only heating or cooling individual rooms as required.


The Rinnai Inverter Multi Split Systems have a choice of two indoor unit types in multiple combination. Rinnai have Hi-Wall and Slim Ducted units in 5 different models ranging from 2.0kW to 7.0kW. There are 5 Outdoor units with capacities ranging from 5.2kW up to 13.6kW, so Rinnai has a system configuration and capacity to virtually any requirement.

Summer Cool and Winter Warm

During operation, a sophisticated control system constantly monitors the system parameters to maintain your desired climate setting. 3D DC synchronisation ensures a fast and controlled warm-up and cool-down of your spaces.

Key Features

- Heating or cooling up to 5 separate rooms
- For homes with limited space for ducting
- The ability to turn individual rooms On or Off as required
- Individual control of room temperature



*Hi-Wall indoor unit only

Comfort without compromise

With the latest in technology, the Rinnai Inverter Multi Split System quietly maintains steady, stable comfort conditions with quiet, efficient performance. Turbo mode, with its rapid cool down or warm up, helps achieve the desired room temperature in the shortest possible time.



Feature packed Hi-Wall unit

The stylish Hi-Wall indoor units also have vertical and horizontal swing louvre functions, which assist in achieving a perfectly distributed, comfortable temperature throughout the room.

The Rinnai Inverter Multi Hi-Wall has the perfect balance of pleasing aesthetics and practical functionality. All models have an LED display, sleep mode and auto-restart. A discreet easy to read wireless remote control sits neatly in a magnetic wall mount.

Wi-Fi Control

The Rinnai Hi Wall Multi features Wi-Fi control via an app. Simple activation and ease of use, the app can be downloaded via Google Play or iTunes on a compatible mobile device. Once installed and registered, you can operate your appliance on the go.

Basic functions like on/off, temperature control and fan speed can be accessed through the app. Best of all, the Wi-Fi control allows you to switch on your air conditioner from outside the home – creating the ultimate in convenience and comfort.




Wi-Fi Control



Out of sight

Compact and space saving in design, the Rinnai Inverter Multi Slim Ducted indoor unit is ideal for tight spaces. Hidden away in a bulkhead or a ceiling cavity, with excellent acoustic characteristics, this ultra slim unit also has flexible installation configuration options. It might be compact in size, but still has the power needed to direct beautifully conditioned air throughout the room, and is controlled via a wired wall control. The Rinnai Multi Slim Duct models do not have Wi-Fi capability.



Smart 3D DC Inverter

A faster, more controlled warm-up or cool-down is achieved by the advanced inverter control systems. It combines three Direct Current (DC) motor technologies working in perfect unison to provide you with:

- Higher efficiency
- Synchronised performance
- Lower running costs in comparison to conventional air conditioners

5 Year Warranty

A comprehensive 5 year parts and labour warranty provides you with total peace of mind. Fully supported by our national service capability.



OUTDOOR UNIT



| OUTDOOR UNIT | | MON2H05 | MON3H07 | MON4H09 | MON5H11 | MON5H13 | |
|--|--|---------------|------------------------|-------------------------|-------------------------|--------------------------|--------------------------|
| Maximum Number of connected Indoor Units | Qty | 2 | 3 | 4 | 5 | 5 | |
| Power Supply (To Outdoor Unit) | V-Ph-Hz | 220~240 -1-50 | | | | | |
| Cooling | Rated Capacity (Range) | kW | 5.2 (1.7 ~ 6.8) | 7.4 (1.7 ~ 10.2) | 9.6 (1.7 ~ 11.0) | 10.7 (1.7 ~ 12.7) | 13.3 (1.7 ~ 15.1) |
| | Rated Input Power | W | 1432 | 2029 | 2478 | 2995 | 3819 |
| | Rated Input Current | A | 6.56 | 9.70 | 10.94 | 16.75 | 16.75 |
| | AEER | W/W | 3.51 | 3.54 | 3.78 | 3.47 | 3.40 |
| | Star Rating | | 2.5 | 2.5 | 3.0 | 2.0 | 2.0 |
| Heating | Rated Capacity (Range) | kW | 5.7 (1.8 ~ 6.9) | 7.9 (1.8 ~ 10.2) | 9.7 (1.8 ~ 11.0) | 10.9 (1.8 ~ 13.5) | 14.5 (1.8 ~ 15.5) |
| | Rated Input Power | W | 1582 | 2029 | 2580 | 2798 | 4167 |
| | Rated Input Current | A | 7.19 | 9.61 | 11.38 | 12.42 | 18.27 |
| | ACOP | W/W | 3.49 | 3.78 | 3.65 | 3.80 | 3.40 |
| | Star Rating | | 2.0 | 3.0 | 2.5 | 3.0 | 2.0 |
| Maximum Input Current | A | 14.5 | 16.5 | 17.0 | 22.0 | 27.0 | |
| Compressor | Type | DC Rotary | | | | | |
| Sound Power Level | | 67 | 69 | 69 | 73 | 73 | |
| Sound Pressure Level @ 1m | dB(A) | 60 | 60 | 61 | 64 | 64 | |
| Dimensions | Net (W x D x H) | mm | 845 x 363 x 702 | 946 x 410 x 810 | 946 x 410 x 810 | 946 x 410 x 810 | 952 x 415 x 1333 |
| | Gross (W x D x H) | mm | 965 x 395 x 755 | 1090 x 500 x 865 | 1090 x 500 x 865 | 1090 x 500 x 865 | 1095 x 495 x 1480 |
| | Net / Gross Weight | kg | 48 / 52 | 67 / 72 | 71 / 76 | 77 / 82 | 102 / 116 |
| Refrigerant | Type | R410A | | | | | |
| Refrigerant Piping | Connection Size: Liquid Line | mm | 2x Ø6.35 | 3x Ø6.35 | 4x Ø6.35 | 5x Ø6.35 | 5x Ø6.35 |
| | Connection Size: Gas | mm | 2x Ø9.52 | 2x Ø9.52 1x Ø12.7 | 3x Ø9.52 1x Ø12.7 | 4x Ø9.52 1x Ø12.7 | 3x Ø9.52 2x Ø12.7 |
| | Maximum Total System Pipe Length | | 30 | 45 | 60 | 75 | 75 |
| | Pre-Charged Length | | 20 | 30 | 40 | 50 | 50 |
| | Maximum Length Per Indoor Unit | | 20 | 25 | 30 | 30 | 30 |
| | Maximum Vertical Separation Outdoor Unit ABOVE Indoor Unit | m | 10 | 10 | 10 | 10 | 10 |
| | Maximum Vertical Separation Outdoor Unit BELOW Indoor Unit | | 15 | 15 | 15 | 15 | 15 |
| | Maximum Height Difference Between Indoor Units | | 10 | 10 | 10 | 10 | 10 |
| Ambient Temperature Limits | Cooling | °C | -15 ~ 50 | | | | |
| | Heating | °C | -15 ~ 24 | | | | |

HI-WALL



| INDOOR UNIT - HI-WALL | | HINRA20M | HINRA26M | HINRA35M | HINRA50M | HINRA70M | |
|--------------------------------------|---------------------------------------|-------------------------|-----------------|-----------------|------------------|------------------|------------------|
| Power Supply | V-Ph-Hz | 220~240 -1-50 | | | | | |
| Cooling | Rated Capacity | kW | 2.0 | 2.6 | 3.5 | 5.2 | 7.0 |
| | Rated Input Power | W | 20 | 20 | 30 | 30 | 58 |
| | Rated Input Current | A | 0.10 | 0.10 | 0.13 | 0.13 | 0.30 |
| Heating | Rated Capacity | kW | 2.3 | 2.8 | 3.8 | 5.1 | 7.5 |
| | Rated Input Power | W | 20 | 20 | 32 | 32 | 60 |
| | Rated Input Current | A | 0.11 | 0.11 | 0.15 | 0.15 | 0.33 |
| Airflow (Hi / Med / Lo) | L/s | 131 / 100 / 70 | 167 / 134 / 78 | 195 / 159 / 98 | 334 / 237 / 159 | 403 / 356 / 145 | |
| Sound Pressure (Hi / Med / Lo) @1.4m | dB(A) | 40 / 35 / 28 | 43 / 37 / 28 | 45 / 38 / 28 | 45 / 42 / 29 | 49 / 44 / 32 | |
| Dimensions | Net (W x D x H) | mm | 717 x 193 x 302 | 805 x 193 x 302 | 964 x 222 x 325 | 964 x 222 x 325 | 1106 x 232 x 342 |
| | Gross (W x D x H) | mm | 785 x 285 x 375 | 875 x 285 x 375 | 1045 x 305 x 405 | 1045 x 305 x 405 | 1195 x 315 x 420 |
| | Net / Gross Weight | kg | 7.0 / 9.3 | 8.5 / 11.0 | 10.3 / 14.0 | 10.4 / 14.1 | 13.7 / 17.6 |
| | Refrigeration Pipe Size: Liquid / Gas | mm | Ø6.35 / Ø9.52 | Ø6.35 / Ø9.52 | Ø6.35 / Ø12.7 | Ø6.35 / Ø12.7 | Ø9.52 + Ø15.9 |
| Controller | Type | Wireless Remote Control | | | | | |
| Operating Range | Cooling | °C | 17 ~ 32 | | | | |
| | Heating | °C | 0 ~ 30 | | | | |

SLIM DUCTED



| INDOOR UNIT - SLIM DUCTED | | DINSD20M | DINSD26M | DINSD35M | DINSD50M | DINSD70M | |
|---------------------------------------|---------------------------------------|------------------------------|-----------------|-----------------|-----------------|------------------|------------------|
| Power Supply | V-Ph-Hz | 220~240 -1-50 | | | | | |
| Cooling | Rated Capacity | kW | 2.0 | 2.6 | 3.5 | 5.2 | 7.0 |
| | Rated Input Power | W | 30 | 40 | 50 | 80 | 100 |
| | Rated Input Current | A | 0.13 | 0.18 | 0.23 | 0.37 | 0.46 |
| Heating | Rated Capacity | kW | 2.3 | 2.8 | 3.8 | 5.1 | 7.5 |
| | Rated Input Power | W | 30 | 40 | 50 | 80 | 100 |
| | Rated Input Current | A | 0.13 | 0.18 | 0.23 | 0.37 | 0.46 |
| Airflow (Hi / Med / Lo) | L/s | 167 / 150 / 128 | 167 / 150 / 128 | 200 / 167 / 150 | 222 / 170 / 145 | 389 / 333 / 303 | |
| Maximum External Static Pressure (Hi) | Pa | 40 | 40 | 40 | 60 | 80 | |
| Sound Pressure (Hi / Med / Lo) @1.4m | dB(A) | 36 / 33 / 30 | 36 / 33 / 30 | 39 / 36 / 34 | 42 / 39 / 37 | 45 / 41 / 38 | |
| Dimensions | Net (W x D x H) | mm | 700 x 635 x 210 | 700 x 635 x 210 | 700 x 635 x 210 | 920 x 635 x 210 | 920 x 635 x 270 |
| | Gross (W x D x H) | mm | 915 x 655 x 290 | 915 x 655 x 290 | 915 x 655 x 290 | 1135 x 655 x 290 | 1135 x 655 x 350 |
| | Net / Gross Weight | kg | 18.5 / 23.1 | 18.1 / 22.8 | 18.1 / 22.8 | 23 / 29 | 28 / 31.5 |
| | Supply Air Duct Connection (W x H) | mm | 493 x 119 | 493 x 119 | 493 x 119 | 713 x 119 | 713 x 179 |
| | Return Air Duct Connection (W x H) | mm | 595 x 200 | 595 x 200 | 595 x 200 | 815 x 200 | 815 x 260 |
| | Refrigeration Pipe Size: Liquid / Gas | mm | Ø6.35 / Ø9.52 | Ø6.35 / Ø9.52 | Ø6.35 / Ø9.52 | Ø6.35 / Ø12.7 | Ø9.52 / Ø15.9 |
| Condensate Drain Pump Connection | | OD Ø25 | | | | | |
| Controller | Type | Wired Controller - 12m Cable | | | | | |
| Operating Range | Cooling | °C | 17 ~ 32 | | | | |
| | Heating | °C | 0 ~ 30 | | | | |

Capacities tested in accordance with AS/NZS 3823.3, with 5m interconnecting length for all attached Indoor Units. Due to our policy of continuous improvement, specifications are subject to change without notice.

TABLE 1: Rinnai Outdoor Model: MON2H05

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M

| Indoor Unit Combinations | | | COOLING | | | | | HEATING | | | | |
|--------------------------|---------|--------|-----------------------------------|--------|----------------------|-------|---------|-----------------------------------|--------|----------------------|-------|---------|
| Operation | Unit ID | | Capacity of each Indoor Unit (kW) | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | System Capacity (kW) | | |
| | Unit A | Unit B | Room A | Room B | Minimum | Rated | Maximum | Room A | Room B | Minimum | Rated | Maximum |
| 1 Unit | 20 | | 2.85 | | 1.71 | 2.85 | 3.45 | 2.96 | | 2.07 | 2.96 | 3.58 |
| | 26 | | 3.16 | | 2.05 | 3.16 | 3.82 | 3.28 | | 2.30 | 3.28 | 3.97 |
| | 35 | | 3.68 | | 2.39 | 3.68 | 4.45 | 3.75 | | 2.44 | 3.75 | 4.54 |
| | 50 | | 5.05 | | 3.28 | 5.05 | 6.11 | 5.22 | | 3.24 | 5.22 | 6.32 |
| 2 Units | 20 | 20 | 2.43 | 2.43 | 3.01 | 4.86 | 5.59 | 2.49 | 2.49 | 2.99 | 4.98 | 5.73 |
| | 20 | 26 | 2.20 | 2.85 | 3.13 | 5.05 | 5.81 | 2.28 | 2.97 | 3.15 | 5.25 | 6.04 |
| | 20 | 35 | 2.06 | 3.30 | 3.32 | 5.36 | 6.16 | 2.09 | 3.35 | 3.26 | 5.44 | 6.26 |
| | 20 | 50 | 1.55 | 4.09 | 3.50 | 5.64 | 6.49 | 1.62 | 4.31 | 3.56 | 5.93 | 6.82 |
| | 26 | 26 | 2.60 | 2.60 | 3.22 | 5.20 | 5.98 | 2.69 | 2.69 | 3.23 | 5.38 | 6.19 |
| | 26 | 35 | 2.42 | 2.98 | 3.35 | 5.40 | 6.21 | 2.54 | 3.12 | 3.40 | 5.66 | 6.51 |
| | 26 | 50 | 2.76 | 3.39 | 3.81 | 6.15 | 6.77 | 2.80 | 3.44 | 3.74 | 6.24 | 6.86 |
| | 35 | 35 | 2.98 | 2.98 | 3.70 | 5.96 | 6.56 | 3.04 | 3.04 | 3.65 | 6.08 | 6.69 |

Capacities tested in accordance with AS 3823.3, with 5m interconnecting length for all attached Indoor Units. Specifications subject to change without notice.

TABLE 2: Rinnai Outdoor Model: MON3H07

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M, HINRA70M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M, DINSD70M

| Indoor Unit Combinations | | | | COOLING | | | | | | HEATING | | | | | |
|--------------------------|---------|--------|--------|-----------------------------------|--------|--------|----------------------|-------|---------|-----------------------------------|--------|--------|----------------------|-------|---------|
| Operation | Unit ID | | | Capacity of each Indoor Unit (kW) | | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | | System Capacity (kW) | | |
| | Unit A | Unit B | Unit C | Room A | Room B | Room C | Minimum | Rated | Maximum | Room A | Room B | Room C | Minimum | Rated | Maximum |
| 1 Unit | 20 | | | 2.85 | | | 1.71 | 2.85 | 3.65 | 2.96 | | | 1.78 | 2.96 | 3.79 |
| | 26 | | | 3.16 | | | 2.05 | 3.16 | 4.04 | 3.28 | | | 2.13 | 3.28 | 4.20 |
| | 35 | | | 3.68 | | | 2.39 | 3.68 | 4.71 | 3.75 | | | 2.44 | 3.75 | 4.80 |
| | 50 | | | 5.05 | | | 3.13 | 5.05 | 6.46 | 5.22 | | | 3.24 | 5.22 | 6.68 |
| | 70 | | | 7.08 | | | 4.39 | 7.08 | 9.06 | 6.55 | | | 4.06 | 6.55 | 8.38 |
| 2 Units | 20 | 20 | | 2.43 | 2.43 | | 3.01 | 4.86 | 5.59 | 2.56 | 2.56 | | 3.17 | 5.12 | 5.89 |
| | 20 | 26 | | 2.28 | 2.97 | | 3.26 | 5.25 | 6.04 | 2.37 | 3.08 | | 3.38 | 5.45 | 6.27 |
| | 20 | 35 | | 2.22 | 3.54 | | 3.57 | 5.76 | 6.62 | 2.21 | 3.53 | | 3.56 | 5.74 | 6.60 |
| | 20 | 50 | | 1.87 | 4.67 | | 4.05 | 6.54 | 7.52 | 1.95 | 4.88 | | 4.23 | 6.83 | 7.85 |
| | 20 | 70 | | 1.66 | 5.80 | | 4.63 | 7.46 | 8.58 | 1.84 | 6.42 | | 5.12 | 8.26 | 9.50 |
| | 26 | 26 | | 2.73 | 2.73 | | 3.38 | 5.45 | 6.27 | 2.79 | 2.79 | | 3.46 | 5.58 | 6.42 |
| | 26 | 35 | | 2.80 | 3.44 | | 3.87 | 6.24 | 7.18 | 2.63 | 3.23 | | 3.63 | 5.86 | 6.74 |
| | 26 | 50 | | 2.31 | 4.44 | | 4.19 | 6.75 | 7.76 | 2.51 | 4.83 | | 4.55 | 7.34 | 8.44 |
| | 26 | 70 | | 2.13 | 5.75 | | 4.89 | 7.88 | 9.06 | 2.25 | 6.07 | | 5.16 | 8.32 | 9.57 |
| | 35 | 35 | | 3.36 | 3.36 | | 4.17 | 6.72 | 7.73 | 3.36 | 3.36 | | 4.17 | 6.72 | 7.73 |
| | 35 | 50 | | 2.74 | 4.54 | | 4.51 | 7.28 | 8.37 | 3.12 | 5.16 | | 5.13 | 8.28 | 9.52 |
| | 35 | 70 | | 2.72 | 5.43 | | 5.05 | 8.15 | 9.37 | 2.88 | 5.77 | | 5.36 | 8.65 | 9.95 |
| | 50 | 50 | | 4.01 | 4.01 | | 4.97 | 8.02 | 9.22 | 4.23 | 4.23 | | 5.24 | 8.45 | 9.72 |
| 3 Units | 20 | 20 | 20 | 2.20 | 2.20 | 2.20 | 4.09 | 6.60 | 7.59 | 2.27 | 2.27 | 2.27 | 4.22 | 6.80 | 7.82 |
| | 20 | 20 | 26 | 2.04 | 2.04 | 2.65 | 4.17 | 6.72 | 7.73 | 2.10 | 2.10 | 2.73 | 4.29 | 6.92 | 7.96 |
| | 20 | 20 | 35 | 2.01 | 2.01 | 3.22 | 4.50 | 7.25 | 8.34 | 2.07 | 2.07 | 3.31 | 4.62 | 7.45 | 8.57 |
| | 20 | 20 | 50 | 1.82 | 1.82 | 4.54 | 5.07 | 8.18 | 9.41 | 1.80 | 1.80 | 4.78 | 5.20 | 8.38 | 9.64 |
| | 20 | 20 | 70 | 1.61 | 1.61 | 5.63 | 5.48 | 8.84 | 10.17 | 1.84 | 1.84 | 4.87 | 5.29 | 8.54 | 9.82 |
| | 20 | 26 | 26 | 2.01 | 2.62 | 2.62 | 4.50 | 7.25 | 8.34 | 2.07 | 2.69 | 2.69 | 4.62 | 7.45 | 8.57 |
| | 20 | 26 | 35 | 2.05 | 2.66 | 3.27 | 4.95 | 7.98 | 9.18 | 2.10 | 2.73 | 3.36 | 5.07 | 8.18 | 9.41 |
| | 20 | 26 | 50 | 1.76 | 2.29 | 4.40 | 5.23 | 8.44 | 9.71 | 1.80 | 2.34 | 4.50 | 5.36 | 8.64 | 9.94 |
| | 20 | 35 | 35 | 1.85 | 3.24 | 3.24 | 5.17 | 8.34 | 9.59 | 1.90 | 3.32 | 3.32 | 5.29 | 8.54 | 9.82 |
| | 20 | 35 | 50 | 1.63 | 2.85 | 4.07 | 5.30 | 8.55 | 9.83 | 1.69 | 2.95 | 4.21 | 5.49 | 8.85 | 10.18 |
| | 26 | 26 | 26 | 2.60 | 2.60 | 2.60 | 4.84 | 7.80 | 8.97 | 2.69 | 2.69 | 2.69 | 5.00 | 8.06 | 9.27 |
| | 26 | 26 | 35 | 2.47 | 2.47 | 3.32 | 5.12 | 8.26 | 9.50 | 2.53 | 2.53 | 3.40 | 5.25 | 8.46 | 9.73 |
| | 26 | 26 | 50 | 2.17 | 2.17 | 4.17 | 5.27 | 8.50 | 9.78 | 2.20 | 2.20 | 4.24 | 5.36 | 8.64 | 9.94 |
| | 26 | 35 | 35 | 2.29 | 3.08 | 3.08 | 5.23 | 8.44 | 9.71 | 2.34 | 3.15 | 3.15 | 5.36 | 8.64 | 9.94 |
| | 26 | 35 | 50 | 2.07 | 2.79 | 3.99 | 5.49 | 8.85 | 10.18 | 2.00 | 2.69 | 3.85 | 5.29 | 8.54 | 9.82 |
| | 35 | 35 | 35 | 2.85 | 2.85 | 2.85 | 5.30 | 8.55 | 9.83 | 2.95 | 2.95 | 2.95 | 5.49 | 8.85 | 10.18 |

Capacities tested in accordance with AS 3823.3, with 5m interconnecting length for all attached Indoor Units. Specifications subject to change without notice.

TABLE 3: Rinnai Outdoor Model: MON4H09

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M, HINRA70M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M, DINSD70M

| Indoor Unit Combinations | | | | | COOLING | | | | | | | HEATING | | | | | | |
|--------------------------|---------|--------|--------|--------|-----------------------------------|--------|--------|--------|----------------------|-------|---------|-----------------------------------|--------|--------|--------|----------------------|-------|---------|
| Operation | Unit ID | | | | Capacity of each Indoor Unit (kW) | | | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | | | System Capacity (kW) | | |
| | Unit A | Unit B | Unit C | Unit D | Room A | Room B | Room C | Room D | Minimum | Rated | Maximum | Room A | Room B | Room C | Room D | Minimum | Rated | Maximum |
| 1 Unit | 20 | | | | 2.85 | | | | 1.71 | 2.85 | 3.65 | 2.96 | | | | 1.78 | 2.96 | 3.79 |
| | 26 | | | | 3.16 | | | | 2.05 | 3.16 | 4.04 | 3.28 | | | | 2.13 | 3.28 | 4.20 |
| | 35 | | | | 3.68 | | | | 2.39 | 3.68 | 4.71 | 3.75 | | | | 2.44 | 3.75 | 4.80 |
| | 50 | | | | 5.05 | | | | 3.13 | 5.05 | 6.46 | 5.22 | | | | 3.24 | 5.22 | 6.68 |
| | 70 | | | | 7.08 | | | | 4.39 | 7.08 | 9.06 | 6.55 | | | | 4.06 | 6.55 | 8.38 |
| 2 Units | 20 | 20 | | | 2.43 | 2.43 | | | 3.01 | 4.86 | 5.59 | 2.56 | 2.56 | | | 3.17 | 5.12 | 5.89 |
| | 20 | 26 | | | 2.28 | 2.97 | | | 3.26 | 5.25 | 6.04 | 2.37 | 3.08 | | | 3.38 | 5.45 | 6.27 |
| | 20 | 35 | | | 2.22 | 3.54 | | | 3.57 | 5.76 | 6.62 | 2.21 | 3.53 | | | 3.56 | 5.74 | 6.60 |
| | 20 | 50 | | | 1.87 | 4.67 | | | 4.05 | 6.54 | 7.52 | 1.95 | 4.88 | | | 4.23 | 6.83 | 7.85 |
| | 20 | 70 | | | 1.66 | 5.80 | | | 4.63 | 7.46 | 8.58 | 1.84 | 6.42 | | | 5.12 | 8.26 | 9.50 |
| | 26 | 26 | | | 2.73 | 2.73 | | | 2.29 | 5.45 | 6.65 | 2.79 | 2.79 | | | 2.34 | 5.58 | 6.81 |
| | 26 | 35 | | | 2.80 | 3.44 | | | 2.62 | 6.24 | 7.61 | 2.63 | 3.23 | | | 2.46 | 5.86 | 7.15 |
| | 26 | 50 | | | 2.31 | 4.44 | | | 2.84 | 6.75 | 8.24 | 2.51 | 4.83 | | | 3.08 | 7.34 | 8.95 |
| | 26 | 70 | | | 2.13 | 5.75 | | | 4.89 | 7.88 | 9.06 | 2.25 | 6.07 | | | 5.16 | 8.32 | 9.57 |
| | 35 | 35 | | | 3.36 | 3.36 | | | 2.82 | 6.72 | 8.20 | 3.36 | 3.36 | | | 2.82 | 6.72 | 8.20 |
| | 35 | 50 | | | 2.74 | 4.54 | | | 3.06 | 7.28 | 8.88 | 3.12 | 5.16 | | | 3.48 | 8.28 | 10.10 |
| | 35 | 70 | | | 2.72 | 5.43 | | | 5.05 | 8.15 | 9.37 | 2.88 | 5.77 | | | 5.36 | 8.65 | 9.95 |
| | 50 | 50 | | | 4.05 | 4.05 | | | 3.40 | 8.09 | 9.87 | 4.05 | 4.05 | | | 3.40 | 8.09 | 9.87 |
| | 3 Units | 20 | 20 | 20 | | 2.20 | 2.20 | 2.20 | | 2.77 | 6.60 | 8.05 | 2.27 | 2.27 | 2.27 | | 2.86 | 6.80 |
| 20 | | 20 | 26 | | 2.04 | 2.04 | 2.65 | | 2.82 | 6.72 | 8.20 | 2.10 | 2.10 | 2.73 | | 2.91 | 6.92 | 8.44 |
| 20 | | 20 | 35 | | 1.93 | 1.93 | 3.38 | | 3.05 | 7.25 | 8.85 | 2.07 | 2.07 | 3.31 | | 3.13 | 7.45 | 9.09 |
| 20 | | 20 | 50 | | 1.82 | 1.82 | 4.54 | | 3.44 | 8.18 | 9.98 | 1.80 | 1.80 | 4.78 | | 3.52 | 8.38 | 10.22 |
| 20 | | 20 | 70 | | 1.61 | 1.61 | 5.63 | | 3.71 | 8.84 | 10.78 | 1.84 | 1.84 | 4.87 | | 3.59 | 8.54 | 10.42 |
| 20 | | 26 | 26 | | 2.01 | 2.62 | 2.62 | | 3.05 | 7.25 | 8.85 | 2.07 | 2.69 | 2.69 | | 3.13 | 7.45 | 9.09 |
| 20 | | 26 | 35 | | 2.05 | 2.66 | 3.27 | | 3.35 | 7.98 | 9.74 | 2.10 | 2.73 | 3.36 | | 3.44 | 8.18 | 9.98 |
| 20 | | 26 | 50 | | 1.78 | 2.32 | 4.46 | | 3.60 | 8.56 | 10.44 | 1.78 | 2.32 | 4.46 | | 3.60 | 8.56 | 10.44 |
| 20 | | 26 | 70 | | 1.53 | 1.98 | 5.34 | | 3.72 | 8.85 | 10.80 | 1.47 | 1.91 | 5.15 | | 3.59 | 8.54 | 10.42 |
| 20 | | 35 | 35 | | 1.85 | 3.24 | 3.24 | | 3.50 | 8.34 | 10.17 | 1.90 | 3.32 | 3.32 | | 3.59 | 8.54 | 10.42 |
| 20 | | 35 | 50 | | 1.65 | 2.88 | 4.12 | | 3.63 | 8.65 | 10.55 | 1.65 | 2.88 | 4.12 | | 3.63 | 8.65 | 10.55 |
| 26 | | 26 | 26 | | 2.60 | 2.60 | 2.60 | | 3.28 | 7.80 | 9.52 | 2.69 | 2.69 | 2.69 | | 3.39 | 8.06 | 9.83 |
| 26 | | 26 | 35 | | 2.47 | 2.47 | 3.32 | | 3.47 | 8.26 | 10.08 | 2.47 | 2.47 | 3.32 | | 3.47 | 8.26 | 10.08 |
| 26 | | 26 | 50 | | 2.19 | 2.19 | 4.22 | | 3.61 | 8.60 | 10.49 | 2.19 | 2.19 | 4.22 | | 3.61 | 8.60 | 10.49 |
| 26 | | 35 | 35 | | 2.29 | 3.08 | 3.08 | | 3.54 | 8.44 | 10.30 | 2.34 | 3.15 | 3.15 | | 3.63 | 8.64 | 10.54 |
| 26 | | 35 | 50 | | 2.07 | 2.79 | 3.99 | | 3.72 | 8.85 | 10.80 | 2.00 | 2.69 | 3.85 | | 3.59 | 8.54 | 10.42 |
| 35 | 35 | 35 | | 2.85 | 2.85 | 2.85 | | 3.59 | 8.55 | 10.43 | 2.95 | 2.95 | 2.95 | | 3.72 | 8.85 | 10.80 | |
| 4 Units | 20 | 20 | 20 | 20 | 1.90 | 1.90 | 1.90 | 1.90 | 2.45 | 7.60 | 9.27 | 1.95 | 1.95 | 1.95 | 1.95 | 2.45 | 7.80 | 9.52 |
| | 20 | 20 | 20 | 26 | 1.83 | 1.83 | 1.83 | 2.38 | 3.22 | 7.86 | 9.59 | 1.83 | 1.83 | 1.83 | 2.38 | 3.22 | 7.86 | 9.59 |
| | 20 | 20 | 20 | 35 | 1.77 | 1.77 | 1.77 | 2.83 | 3.34 | 8.15 | 9.94 | 1.79 | 1.79 | 1.79 | 2.87 | 3.38 | 8.25 | 10.07 |
| | 20 | 20 | 20 | 50 | 1.59 | 1.59 | 1.59 | 4.20 | 3.67 | 8.96 | 10.93 | 1.53 | 1.53 | 1.53 | 4.06 | 3.55 | 8.66 | 10.57 |
| | 20 | 20 | 26 | 26 | 1.75 | 1.75 | 2.28 | 2.28 | 3.31 | 8.07 | 9.85 | 1.80 | 1.80 | 2.34 | 2.34 | 3.39 | 8.27 | 10.09 |
| | 20 | 20 | 26 | 35 | 1.73 | 1.73 | 2.24 | 2.76 | 3.47 | 8.46 | 10.32 | 1.75 | 1.75 | 2.27 | 2.80 | 3.51 | 8.56 | 10.44 |
| | 20 | 20 | 35 | 35 | 1.67 | 1.67 | 2.66 | 2.66 | 3.55 | 8.66 | 10.57 | 1.70 | 1.70 | 2.73 | 2.73 | 3.63 | 8.86 | 10.81 |
| | 20 | 26 | 26 | 26 | 1.68 | 2.19 | 2.19 | 2.19 | 3.38 | 8.25 | 10.07 | 1.70 | 2.22 | 2.22 | 2.22 | 3.42 | 8.35 | 10.19 |
| | 20 | 26 | 26 | 35 | 1.70 | 2.21 | 2.21 | 2.71 | 3.62 | 8.82 | 10.76 | 1.72 | 2.23 | 2.23 | 2.74 | 3.66 | 8.92 | 10.88 |
| | 20 | 26 | 35 | 35 | 1.63 | 2.12 | 2.61 | 2.61 | 3.68 | 8.98 | 10.96 | 1.64 | 2.14 | 2.63 | 2.63 | 3.71 | 9.04 | 11.03 |
| | 26 | 26 | 26 | 26 | 2.13 | 2.13 | 2.13 | 2.13 | 3.49 | 8.52 | 10.39 | 2.16 | 2.16 | 2.16 | 2.16 | 3.53 | 8.62 | 10.52 |
| 26 | 26 | 26 | 35 | 2.09 | 2.09 | 2.09 | 2.58 | 3.63 | 8.86 | 10.81 | 2.12 | 2.12 | 2.12 | 2.61 | 3.67 | 8.96 | 10.93 | |

Capacities tested in accordance with AS 3823.3, with 5m interconnecting length for all attached Indoor Units. Specifications subject to change without notice.

TABLE 4: Rinnai Outdoor Model: MON5H11

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M, HINRA70M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M, DINSD70M

| Indoor Unit Combinations | | | | | | COOLING | | | | | | | | HEATING | | | | | | | |
|--------------------------|---------|--------|--------|--------|--------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|
| Operation | Unit ID | | | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | |
| | Unit A | Unit B | Unit C | Unit D | Unit E | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum |
| 1 Unit | 20 | | | | | 2.85 | | | | | 1.71 | 2.85 | 3.71 | 2.96 | | | | | 1.78 | 2.96 | 3.55 |
| | 26 | | | | | 3.16 | | | | | 1.90 | 3.16 | 3.79 | 3.28 | | | | | 1.97 | 3.28 | 3.94 |
| | 35 | | | | | 3.68 | | | | | 2.21 | 3.68 | 4.42 | 3.75 | | | | | 2.25 | 3.75 | 4.50 |
| | 50 | | | | | 5.05 | | | | | 3.03 | 5.05 | 5.81 | 5.22 | | | | | 3.13 | 5.22 | 6.00 |
| | 70 | | | | | 7.08 | | | | | 4.25 | 7.08 | 8.14 | 6.55 | | | | | 3.93 | 6.55 | 7.53 |
| 2 Units | 20 | 20 | | | | 2.20 | 2.20 | | | | 2.64 | 4.40 | 5.06 | 2.60 | 2.60 | | | | 3.12 | 5.20 | 5.98 |
| | 20 | 26 | | | | 2.30 | 2.76 | | | | 3.04 | 5.06 | 5.82 | 2.30 | 3.22 | | | | 3.31 | 5.52 | 6.35 |
| | 20 | 35 | | | | 2.30 | 3.75 | | | | 3.63 | 6.05 | 6.96 | 2.40 | 4.20 | | | | 3.96 | 6.60 | 7.59 |
| | 20 | 50 | | | | 2.20 | 5.50 | | | | 3.85 | 7.70 | 8.86 | 2.40 | 5.30 | | | | 3.85 | 7.70 | 8.86 |
| | 20 | 70 | | | | 1.90 | 6.83 | | | | 4.37 | 8.73 | 9.17 | 2.10 | 7.08 | | | | 4.59 | 9.18 | 9.64 |
| | 26 | 26 | | | | 2.86 | 2.86 | | | | 3.43 | 5.72 | 6.58 | 3.12 | 3.12 | | | | 3.74 | 6.24 | 7.18 |
| | 26 | 35 | | | | 2.90 | 3.81 | | | | 3.36 | 6.71 | 7.72 | 3.20 | 4.12 | | | | 3.66 | 7.32 | 8.42 |
| | 26 | 50 | | | | 2.90 | 5.08 | | | | 3.99 | 7.98 | 9.18 | 3.05 | 5.31 | | | | 4.18 | 8.36 | 9.61 |
| | 26 | 70 | | | | 2.50 | 6.81 | | | | 4.66 | 9.31 | 9.78 | 2.70 | 7.09 | | | | 4.90 | 9.79 | 10.28 |
| | 35 | 35 | | | | 3.64 | 3.64 | | | | 3.64 | 7.28 | 8.37 | 4.20 | 4.20 | | | | 4.20 | 8.40 | 9.66 |
| | 35 | 50 | | | | 3.40 | 4.93 | | | | 4.17 | 8.33 | 9.58 | 3.80 | 5.13 | | | | 4.46 | 8.93 | 10.26 |
| | 35 | 70 | | | | 3.40 | 6.79 | | | | 5.09 | 10.19 | 10.69 | 3.70 | 7.12 | | | | 5.41 | 10.82 | 11.36 |
| | 50 | 50 | | | | 4.85 | 4.85 | | | | 4.85 | 9.70 | 10.19 | 5.05 | 5.05 | | | | 5.05 | 10.10 | 10.61 |
| | 50 | 70 | | | | 4.20 | 6.24 | | | | 5.22 | 10.44 | 10.96 | 4.90 | 6.50 | | | | 5.70 | 11.40 | 11.97 |
| | 70 | 70 | | | | 5.95 | 5.95 | | | | 5.95 | 11.90 | 12.02 | 6.16 | 6.16 | | | | 6.16 | 12.32 | 12.44 |
| 3 Units | 20 | 20 | 20 | | | 2.20 | 2.20 | 2.20 | | | 3.30 | 6.60 | 7.26 | 2.40 | 2.40 | 2.40 | | | 3.60 | 7.20 | 7.92 |
| | 20 | 20 | 26 | | | 2.20 | 2.20 | 2.86 | | | 3.63 | 7.26 | 7.99 | 2.40 | 2.40 | 3.12 | | | 3.96 | 7.92 | 8.71 |
| | 20 | 20 | 35 | | | 2.10 | 2.10 | 3.68 | | | 3.94 | 7.88 | 8.66 | 2.40 | 2.40 | 4.20 | | | 4.50 | 9.00 | 9.90 |
| | 20 | 20 | 50 | | | 2.10 | 2.10 | 5.25 | | | 4.73 | 9.45 | 9.92 | 2.20 | 2.20 | 5.50 | | | 4.95 | 9.90 | 10.40 |
| | 20 | 20 | 70 | | | 1.90 | 1.90 | 5.55 | | | 4.68 | 9.35 | 9.82 | 2.10 | 2.10 | 6.47 | | | 5.34 | 10.67 | 11.20 |
| | 20 | 26 | 26 | | | 2.20 | 2.86 | 2.86 | | | 3.96 | 7.92 | 8.71 | 2.40 | 3.12 | 3.12 | | | 4.32 | 8.64 | 9.50 |
| | 20 | 26 | 35 | | | 2.10 | 2.70 | 3.71 | | | 4.25 | 8.51 | 9.36 | 2.40 | 3.10 | 4.22 | | | 4.86 | 9.72 | 10.69 |
| | 20 | 26 | 50 | | | 2.10 | 2.65 | 4.66 | | | 4.70 | 9.41 | 9.88 | 2.30 | 2.76 | 5.50 | | | 5.28 | 10.56 | 11.09 |
| | 20 | 26 | 70 | | | 1.80 | 2.40 | 5.66 | | | 4.93 | 9.86 | 10.35 | 1.90 | 2.50 | 6.85 | | | 5.63 | 11.25 | 11.81 |
| | 20 | 35 | 35 | | | 2.08 | 3.55 | 3.55 | | | 4.59 | 9.18 | 9.64 | 2.40 | 3.90 | 4.05 | | | 5.18 | 10.35 | 10.87 |
| | 20 | 35 | 50 | | | 2.10 | 3.60 | 4.59 | | | 5.15 | 10.29 | 10.80 | 2.20 | 3.70 | 5.12 | | | 5.51 | 11.03 | 11.58 |
| | 20 | 35 | 70 | | | 1.80 | 3.20 | 5.63 | | | 5.31 | 10.63 | 11.16 | 1.90 | 3.40 | 6.83 | | | 6.06 | 12.13 | 12.73 |
| | 20 | 50 | 50 | | | 1.80 | 4.50 | 4.50 | | | 5.40 | 10.80 | 11.34 | 2.10 | 5.07 | 5.07 | | | 6.12 | 12.24 | 12.85 |
| | 20 | 50 | 70 | | | 1.80 | 4.10 | 5.30 | | | 5.60 | 11.20 | 11.42 | 1.90 | 4.12 | 6.30 | | | 6.16 | 12.32 | 12.57 |
| | 20 | 70 | 70 | | | 1.80 | 4.70 | 4.70 | | | 5.60 | 11.20 | 11.54 | 1.82 | 5.25 | 5.25 | | | 6.16 | 12.32 | 12.57 |
| | 26 | 26 | 26 | | | 2.86 | 2.86 | 2.86 | | | 4.29 | 8.58 | 9.44 | 3.12 | 3.12 | 3.12 | | | 4.68 | 9.36 | 10.30 |
| | 26 | 26 | 35 | | | 2.76 | 2.76 | 3.62 | | | 4.57 | 9.14 | 10.05 | 2.80 | 2.80 | 3.97 | | | 4.79 | 9.57 | 10.53 |
| | 26 | 26 | 50 | | | 2.40 | 2.40 | 4.38 | | | 4.59 | 9.18 | 10.10 | 2.65 | 2.65 | 5.41 | | | 5.36 | 10.71 | 11.78 |
| | 26 | 26 | 70 | | | 2.40 | 2.40 | 5.45 | | | 5.12 | 10.25 | 10.76 | 6.31 | 2.76 | 2.76 | | | 5.92 | 11.83 | 12.43 |
| | 26 | 35 | 35 | | | 2.63 | 3.63 | 3.63 | | | 4.94 | 9.89 | 10.88 | 2.90 | 3.83 | 3.83 | | | 5.28 | 10.56 | 11.62 |
| | 26 | 35 | 50 | | | 2.40 | 3.30 | 4.62 | | | 5.16 | 10.32 | 10.84 | 2.70 | 3.70 | 5.25 | | | 5.83 | 11.66 | 12.24 |
| | 26 | 35 | 70 | | | 2.30 | 3.05 | 5.13 | | | 5.24 | 10.48 | 11.00 | 2.50 | 3.40 | 6.54 | | | 6.22 | 12.45 | 13.07 |
| | 26 | 50 | 50 | | | 2.31 | 4.20 | 4.20 | | | 5.36 | 10.71 | 11.25 | 2.40 | 4.91 | 4.91 | | | 6.11 | 12.22 | 12.83 |
| | 26 | 50 | 70 | | | 2.10 | 3.80 | 5.05 | | | 5.48 | 10.95 | 11.28 | 2.20 | 4.10 | 6.02 | | | 6.16 | 12.32 | 12.57 |
| | 35 | 35 | 35 | | | 3.36 | 3.36 | 3.36 | | | 5.04 | 10.08 | 10.58 | 3.85 | 3.85 | 3.85 | | | 5.78 | 11.55 | 12.13 |
| 35 | 35 | 50 | | | 3.20 | 3.20 | 4.04 | | | 5.22 | 10.44 | 10.96 | 3.40 | 3.40 | 4.84 | | | 5.82 | 11.64 | 12.22 | |
| 35 | 35 | 70 | | | 2.90 | 2.90 | 5.12 | | | 5.46 | 10.92 | 11.79 | 3.10 | 3.10 | 6.12 | | | 6.16 | 12.32 | 12.57 | |
| 35 | 50 | 50 | | | 2.90 | 3.95 | 3.95 | | | 5.40 | 10.80 | 11.34 | 3.15 | 4.50 | 4.50 | | | 6.08 | 12.15 | 12.76 | |
| 35 | 50 | 70 | | | 2.40 | 3.80 | 4.96 | | | 5.58 | 11.16 | 11.49 | 2.80 | 3.90 | 5.62 | | | 6.16 | 12.32 | 12.57 | |

TABLE 5: Rinnai Outdoor Model: MON5H13

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M, HINRA70M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M, DINSD70M

| Indoor Unit Combinations | | | | | | COOLING | | | | | | | | HEATING | | | | | | | |
|--------------------------|---------|--------|--------|--------|--------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|
| Operation | Unit ID | | | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | |
| | Unit A | Unit B | Unit C | Unit D | Unit E | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum |
| 1 Unit | 20 | | | | | 2.85 | | | | | 1.71 | 2.85 | 3.71 | 2.96 | | | | | 1.78 | 2.96 | 3.55 |
| | 26 | | | | | 3.16 | | | | | 1.90 | 3.16 | 3.79 | 3.28 | | | | | 1.97 | 3.28 | 3.94 |
| | 35 | | | | | 3.68 | | | | | 2.21 | 3.68 | 4.42 | 3.75 | | | | | 2.25 | 3.75 | 4.50 |
| | 50 | | | | | 5.05 | | | | | 3.03 | 5.05 | 5.81 | 5.22 | | | | | 3.13 | 5.22 | 6.00 |
| | 70 | | | | | 7.08 | | | | | 4.25 | 7.08 | 8.14 | 6.55 | | | | | 3.93 | 6.55 | 7.53 |
| 2 Units | 20 | 20 | | | | 2.20 | 2.20 | | | | 2.64 | 4.40 | 5.06 | 2.60 | 2.60 | | | | 3.12 | 5.20 | 5.98 |
| | 20 | 26 | | | | 2.30 | 2.76 | | | | 3.04 | 5.06 | 5.82 | 2.30 | 3.22 | | | | 3.31 | 5.52 | 6.35 |
| | 20 | 35 | | | | 2.30 | 3.75 | | | | 3.63 | 6.05 | 6.96 | 2.40 | 4.20 | | | | 3.96 | 6.60 | 7.59 |
| | 20 | 50 | | | | 2.20 | 5.50 | | | | 3.85 | 7.70 | 8.86 | 2.40 | 5.30 | | | | 3.85 | 7.70 | 8.86 |
| | 20 | 70 | | | | 1.90 | 6.83 | | | | 4.37 | 8.73 | 9.17 | 2.10 | 7.08 | | | | 4.59 | 9.18 | 9.64 |
| | 26 | 26 | | | | 2.86 | 2.86 | | | | 3.43 | 5.72 | 6.58 | 3.12 | 3.12 | | | | 3.74 | 6.24 | 7.18 |
| | 26 | 35 | | | | 2.90 | 3.81 | | | | 3.36 | 6.71 | 7.72 | 3.20 | 4.12 | | | | 3.66 | 7.32 | 8.42 |
| | 26 | 50 | | | | 2.90 | 5.08 | | | | 3.99 | 7.98 | 9.18 | 3.05 | 5.31 | | | | 4.18 | 8.36 | 9.61 |
| | 26 | 70 | | | | 2.50 | 6.81 | | | | 4.66 | 9.31 | 9.78 | 2.70 | 7.09 | | | | 4.90 | 9.79 | 10.28 |
| | 35 | 35 | | | | 3.64 | 3.64 | | | | 3.64 | 7.28 | 8.37 | 4.20 | 4.20 | | | | 4.20 | 8.40 | 9.66 |
| | 35 | 50 | | | | 3.40 | 4.93 | | | | 4.17 | 8.33 | 9.58 | 3.80 | 5.13 | | | | 4.46 | 8.93 | 10.26 |
| | 35 | 70 | | | | 3.40 | 6.79 | | | | 5.09 | 10.19 | 10.69 | 3.70 | 7.12 | | | | 5.41 | 10.82 | 11.36 |
| | 50 | 50 | | | | 4.85 | 4.85 | | | | 4.85 | 9.70 | 10.19 | 5.05 | 5.05 | | | | 5.05 | 10.10 | 10.61 |
| | 50 | 70 | | | | 4.20 | 6.24 | | | | 5.22 | 10.44 | 10.96 | 4.90 | 6.50 | | | | 5.70 | 11.40 | 11.97 |
| | 70 | 70 | | | | 5.95 | 5.95 | | | | 5.95 | 11.90 | 12.02 | 6.16 | 6.16 | | | | 6.16 | 12.32 | 12.44 |
| 3 Units | 20 | 20 | 20 | | | 2.20 | 2.20 | 2.20 | | | 3.30 | 6.60 | 7.26 | 2.40 | 2.40 | 2.40 | | | 3.60 | 7.20 | 7.92 |
| | 20 | 20 | 26 | | | 2.20 | 2.20 | 2.86 | | | 3.63 | 7.26 | 7.99 | 2.40 | 2.40 | 3.12 | | | 3.96 | 7.92 | 8.71 |
| | 20 | 20 | 35 | | | 2.10 | 2.10 | 3.68 | | | 3.94 | 7.88 | 8.66 | 2.40 | 2.40 | 4.20 | | | 4.50 | 9.00 | 9.90 |
| | 20 | 20 | 50 | | | 2.10 | 2.10 | 5.25 | | | 4.73 | 9.45 | 9.92 | 2.20 | 2.20 | 5.50 | | | 4.95 | 9.90 | 10.40 |
| | 20 | 20 | 70 | | | 2.00 | 2.00 | 5.68 | | | 4.84 | 9.68 | 10.16 | 2.10 | 2.10 | 6.47 | | | 5.34 | 10.67 | 11.20 |
| | 20 | 26 | 26 | | | 2.20 | 2.86 | 2.86 | | | 3.96 | 7.92 | 8.71 | 2.40 | 3.12 | 3.12 | | | 4.32 | 8.64 | 9.50 |
| | 20 | 26 | 35 | | | 2.10 | 2.70 | 3.71 | | | 4.25 | 8.51 | 9.36 | 2.40 | 3.10 | 4.22 | | | 4.86 | 9.72 | 10.69 |
| | 20 | 26 | 50 | | | 2.10 | 2.65 | 4.66 | | | 4.70 | 9.41 | 9.88 | 2.30 | 2.76 | 5.50 | | | 5.28 | 10.56 | 11.09 |
| | 20 | 26 | 70 | | | 2.38 | 2.40 | 5.66 | | | 5.22 | 10.44 | 10.96 | 1.90 | 2.50 | 6.85 | | | 5.63 | 11.25 | 11.81 |
| | 20 | 35 | 35 | | | 2.08 | 3.55 | 3.55 | | | 4.59 | 9.18 | 9.64 | 2.40 | 3.90 | 4.05 | | | 5.18 | 10.35 | 10.87 |
| | 20 | 35 | 50 | | | 2.10 | 3.60 | 4.59 | | | 5.15 | 10.29 | 10.80 | 2.20 | 3.70 | 5.12 | | | 5.51 | 11.03 | 11.58 |
| | 20 | 35 | 70 | | | 2.10 | 3.20 | 5.70 | | | 5.50 | 11.00 | 11.55 | 1.90 | 3.40 | 6.83 | | | 6.06 | 12.13 | 12.73 |
| | 20 | 50 | 50 | | | 1.80 | 4.50 | 4.50 | | | 5.40 | 10.80 | 11.34 | 2.10 | 5.07 | 5.07 | | | 6.12 | 12.24 | 12.85 |
| | 20 | 50 | 70 | | | 1.90 | 4.10 | 5.76 | | | 5.88 | 11.76 | 12.00 | 1.90 | 4.12 | 6.30 | | | 6.16 | 12.32 | 12.57 |
| | 20 | 70 | 70 | | | 1.80 | 5.50 | 5.50 | | | 6.40 | 12.80 | 13.18 | 1.90 | 6.05 | 6.05 | | | 7.00 | 14.00 | 14.28 |
| | 26 | 26 | 26 | | | 2.86 | 2.86 | 2.86 | | | 4.29 | 8.58 | 9.44 | 3.12 | 3.12 | 3.12 | | | 4.68 | 9.36 | 10.30 |
| | 26 | 26 | 35 | | | 2.76 | 2.76 | 3.62 | | | 4.57 | 9.14 | 10.05 | 2.80 | 2.80 | 3.97 | | | 4.79 | 9.57 | 10.53 |
| | 26 | 26 | 50 | | | 2.40 | 2.40 | 4.38 | | | 4.59 | 9.18 | 10.10 | 2.65 | 2.65 | 5.41 | | | 5.36 | 10.71 | 11.78 |
| | 26 | 26 | 70 | | | 2.40 | 2.40 | 5.45 | | | 5.12 | 10.25 | 10.76 | 6.31 | 2.76 | 2.76 | | | 5.92 | 11.83 | 12.43 |
| | 26 | 35 | 35 | | | 2.63 | 3.63 | 3.63 | | | 4.94 | 9.89 | 10.88 | 2.90 | 3.83 | 3.83 | | | 5.28 | 10.56 | 11.62 |
| | 26 | 35 | 50 | | | 2.40 | 3.30 | 4.62 | | | 5.16 | 10.32 | 10.84 | 2.70 | 3.70 | 5.25 | | | 5.83 | 11.66 | 12.24 |
| | 26 | 35 | 70 | | | 2.39 | 3.05 | 5.69 | | | 5.57 | 11.14 | 11.69 | 2.50 | 3.40 | 6.54 | | | 6.22 | 12.45 | 13.07 |
| | 26 | 50 | 50 | | | 2.31 | 4.20 | 4.20 | | | 5.36 | 10.71 | 11.25 | 2.40 | 4.91 | 4.91 | | | 6.11 | 12.22 | 12.83 |
| | 26 | 50 | 70 | | | 2.10 | 4.10 | 5.92 | | | 6.06 | 12.12 | 12.48 | 2.50 | 4.50 | 6.50 | | | 6.75 | 13.50 | 13.77 |
| | 26 | 70 | 70 | | | 2.35 | 5.30 | 5.30 | | | 6.47 | 12.95 | 13.34 | 2.40 | 5.80 | 5.80 | | | 7.00 | 14.00 | 14.28 |
| | 35 | 35 | 35 | | | 3.36 | 3.36 | 3.36 | | | 5.04 | 10.08 | 10.58 | 3.85 | 3.85 | 3.85 | | | 5.78 | 11.55 | 12.13 |
| | 35 | 35 | 50 | | | 3.20 | 3.20 | 4.04 | | | 5.22 | 10.44 | 10.96 | 3.40 | 3.40 | 4.84 | | | 5.82 | 11.64 | 12.22 |
| | 35 | 35 | 70 | | | 2.95 | 2.96 | 5.99 | | | 5.95 | 11.90 | 12.85 | 3.40 | 3.40 | 6.50 | | | 6.65 | 13.30 | 13.57 |
| | 35 | 50 | 50 | | | 2.90 | 4.30 | 4.30 | | | 5.87 | 11.50 | 12.33 | 3.15 | 4.50 | 4.50 | | | 6.08 | 12.15 | 12.76 |
| | 35 | 50 | 70 | | | 2.86 | 4.10 | 5.91 | | | 6.43 | 12.87 | 13.25 | 3.30 | 4.30 | 6.40 | | | 7.00 | 14.00 | 14.28 |
| 35 | 70 | 70 | | | 2.95 | 5.35 | 5.35 | | | 6.83 | 13.65 | 14.06 | 3.20 | 5.40 | 5.40 | | | 7.00 | 14.00 | 14.28 | |

TABLE 5: Rinnai Outdoor Model: MONSH13 (Cont.)

Rinnai Indoor Hi-Wall: HINRA20M, HINRA26M, HINRA35M, HINRA50M, HINRA70M

Rinnai Indoor Ducted: DINSD20M, DINSD26M, DINSD35M, DINSD50M, DINSD70M

| Indoor Unit Combinations | | | | | | COOLING | | | | | | | | HEATING | | | | | | | |
|--------------------------|---------|--------|--------|--------|--------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|-----------------------------------|--------|--------|--------|--------|----------------------|-------|---------|
| Operation | Unit ID | | | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | | Capacity of each Indoor Unit (kW) | | | | | System Capacity (kW) | | |
| | Unit A | Unit B | Unit C | Unit D | Unit E | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum | Room A | Room B | Room C | Room D | Room E | Minimum | Rated | Maximum |
| 4 Units | 20 | 20 | 20 | 20 | | 2.20 | 2.20 | 2.20 | 2.20 | | 4.40 | 8.80 | 9.68 | 2.40 | 2.40 | 2.40 | 2.40 | | 4.80 | 9.60 | 10.56 |
| | 20 | 20 | 20 | 26 | | 2.10 | 2.10 | 2.10 | 2.73 | | 4.52 | 9.03 | 9.93 | 2.20 | 2.20 | 2.20 | 2.86 | | 4.73 | 9.46 | 10.41 |
| | 20 | 20 | 20 | 35 | | 2.10 | 2.10 | 2.10 | 3.68 | | 4.99 | 9.98 | 10.97 | 2.20 | 2.20 | 2.20 | 3.85 | | 5.23 | 10.45 | 11.50 |
| | 20 | 20 | 20 | 50 | | 2.05 | 2.05 | 2.05 | 4.30 | | 5.23 | 10.45 | 11.50 | 2.05 | 2.05 | 2.05 | 5.18 | | 5.67 | 11.33 | 12.46 |
| | 20 | 20 | 20 | 70 | | 1.75 | 1.75 | 1.75 | 5.80 | | 5.53 | 11.05 | 11.27 | 1.90 | 1.90 | 1.90 | 6.39 | | 6.05 | 12.09 | 12.33 |
| | 20 | 20 | 26 | 26 | | 2.10 | 2.10 | 2.73 | 2.73 | | 4.83 | 9.66 | 10.63 | 2.20 | 2.20 | 2.86 | 2.86 | | 5.06 | 10.12 | 11.13 |
| | 20 | 20 | 26 | 35 | | 2.05 | 2.05 | 2.70 | 3.60 | | 5.20 | 10.40 | 11.44 | 2.20 | 2.20 | 2.90 | 3.81 | | 5.56 | 11.11 | 12.22 |
| | 20 | 20 | 26 | 50 | | 1.90 | 1.90 | 2.50 | 4.37 | | 5.34 | 10.67 | 11.74 | 2.10 | 2.10 | 2.80 | 4.83 | | 5.92 | 11.83 | 13.02 |
| | 20 | 20 | 26 | 70 | | 1.79 | 1.79 | 2.40 | 5.99 | | 5.98 | 11.97 | 12.21 | 1.80 | 1.80 | 2.40 | 6.24 | | 6.12 | 12.24 | 12.48 |
| | 20 | 20 | 35 | 35 | | 1.90 | 1.90 | 3.32 | 3.33 | | 5.23 | 10.45 | 11.50 | 2.02 | 2.02 | 3.23 | 4.28 | | 5.78 | 11.55 | 12.71 |
| | 20 | 20 | 35 | 50 | | 1.80 | 1.80 | 3.20 | 4.45 | | 5.63 | 11.25 | 11.59 | 2.02 | 2.02 | 3.40 | 4.69 | | 6.06 | 12.13 | 13.34 |
| | 20 | 20 | 35 | 70 | | 1.80 | 1.80 | 3.20 | 6.10 | | 6.45 | 12.91 | 13.16 | 1.95 | 1.95 | 3.40 | 6.70 | | 7.00 | 14.00 | 14.28 |
| | 20 | 20 | 50 | 50 | | 1.85 | 1.85 | 4.38 | 4.38 | | 6.23 | 12.46 | 12.71 | 1.90 | 1.90 | 4.89 | 4.89 | | 6.79 | 13.58 | 13.85 |
| | 20 | 20 | 50 | 70 | | 1.80 | 1.80 | 4.20 | 5.80 | | 6.80 | 13.60 | 13.87 | 1.90 | 1.90 | 4.40 | 6.00 | | 7.10 | 14.20 | 14.48 |
| | 20 | 26 | 26 | 26 | | 2.13 | 2.72 | 2.72 | 2.72 | | 5.15 | 10.29 | 10.50 | 2.20 | 2.86 | 2.86 | 2.86 | | 5.39 | 10.78 | 11.00 |
| | 20 | 26 | 26 | 35 | | 1.95 | 2.55 | 2.55 | 3.44 | | 5.24 | 10.49 | 10.70 | 2.20 | 2.70 | 2.70 | 3.64 | | 5.62 | 11.24 | 11.46 |
| | 20 | 26 | 26 | 50 | | 1.90 | 2.50 | 2.50 | 4.08 | | 5.49 | 10.98 | 11.20 | 2.10 | 2.50 | 2.50 | 4.73 | | 5.92 | 11.83 | 12.07 |
| | 20 | 26 | 35 | 35 | | 1.90 | 2.45 | 3.22 | 3.22 | | 5.39 | 10.79 | 11.00 | 2.13 | 2.70 | 3.50 | 3.50 | | 5.92 | 11.83 | 12.07 |
| | 20 | 26 | 35 | 50 | | 1.80 | 2.30 | 2.90 | 4.14 | | 5.57 | 11.14 | 11.36 | 1.98 | 2.55 | 3.40 | 4.91 | | 6.42 | 12.84 | 13.09 |
| | 20 | 26 | 35 | 70 | | 1.80 | 2.30 | 3.10 | 6.09 | | 6.64 | 13.29 | 13.55 | 1.90 | 2.50 | 3.30 | 6.50 | | 7.10 | 14.20 | 14.48 |
| | 20 | 26 | 50 | 50 | | 1.80 | 2.45 | 4.37 | 4.37 | | 6.50 | 12.99 | 13.25 | 1.98 | 2.55 | 4.89 | 4.89 | | 7.15 | 14.31 | 14.59 |
| | 20 | 26 | 50 | 70 | | 1.80 | 2.20 | 4.20 | 5.50 | | 6.85 | 13.70 | 13.97 | 1.90 | 2.50 | 4.10 | 6.00 | | 7.25 | 14.50 | 14.79 |
| | 20 | 35 | 35 | 35 | | 1.83 | 3.14 | 3.14 | 3.14 | | 5.63 | 11.25 | 11.48 | 2.11 | 3.34 | 3.34 | 3.34 | | 6.06 | 12.13 | 12.37 |
| | 20 | 35 | 35 | 50 | | 1.80 | 3.10 | 3.10 | 4.46 | | 6.23 | 12.46 | 12.71 | 1.92 | 3.45 | 3.45 | 4.90 | | 6.86 | 13.72 | 13.99 |
| | 20 | 35 | 35 | 70 | | 1.80 | 3.10 | 3.10 | 5.60 | | 6.80 | 13.60 | 13.87 | 1.80 | 3.20 | 3.20 | 6.00 | | 7.10 | 14.20 | 14.48 |
| | 20 | 35 | 50 | 50 | | 1.90 | 3.11 | 4.24 | 4.24 | | 6.74 | 13.49 | 13.75 | 1.90 | 3.30 | 4.50 | 4.50 | | 7.10 | 14.20 | 14.48 |
| | 26 | 26 | 26 | 26 | | 2.58 | 2.57 | 2.57 | 2.58 | | 5.15 | 10.30 | 10.50 | 2.52 | 2.52 | 2.52 | 2.53 | | 5.04 | 10.09 | 10.29 |
| | 26 | 26 | 26 | 35 | | 2.52 | 2.52 | 2.52 | 3.40 | | 5.48 | 10.96 | 11.18 | 2.52 | 2.52 | 2.52 | 3.40 | | 5.48 | 10.96 | 11.18 |
| | 26 | 26 | 26 | 50 | | 2.40 | 2.40 | 2.40 | 4.06 | | 5.63 | 11.26 | 11.49 | 2.60 | 2.60 | 2.60 | 3.72 | | 5.76 | 11.52 | 11.75 |
| | 26 | 26 | 26 | 70 | | 2.35 | 2.35 | 2.35 | 6.12 | | 6.59 | 13.17 | 13.44 | 2.50 | 2.50 | 2.50 | 6.70 | | 7.10 | 14.20 | 14.48 |
| | 26 | 26 | 35 | 35 | | 2.30 | 2.30 | 3.07 | 3.07 | | 5.37 | 10.74 | 10.95 | 2.52 | 2.52 | 3.40 | 3.39 | | 5.92 | 11.83 | 12.07 |
| | 26 | 26 | 35 | 50 | | 2.30 | 2.30 | 3.20 | 4.39 | | 6.10 | 12.19 | 12.44 | 2.52 | 2.52 | 3.45 | 4.94 | | 6.71 | 13.43 | 13.69 |
| | 26 | 26 | 35 | 70 | | 2.10 | 2.10 | 3.10 | 6.05 | | 6.67 | 13.35 | 13.61 | 2.50 | 2.50 | 3.20 | 6.00 | | 7.10 | 14.20 | 14.48 |
| | 26 | 26 | 50 | 50 | | 2.30 | 2.30 | 4.31 | 4.31 | | 6.61 | 13.22 | 13.49 | 2.50 | 2.50 | 4.60 | 4.60 | | 7.10 | 14.20 | 14.48 |
| | 26 | 26 | 50 | 70 | | 2.20 | 2.20 | 4.10 | 5.26 | | 6.88 | 13.76 | 14.04 | 2.30 | 2.30 | 4.10 | 5.50 | | 7.25 | 14.50 | 14.79 |
| 26 | 35 | 35 | 35 | | 2.36 | 3.10 | 3.10 | 3.10 | | 5.83 | 11.66 | 11.89 | 2.49 | 3.45 | 3.45 | 3.45 | | 6.42 | 12.84 | 13.09 | |
| 26 | 35 | 35 | 50 | | 2.30 | 3.20 | 3.20 | 4.29 | | 6.50 | 12.99 | 13.25 | 2.50 | 3.40 | 3.40 | 4.90 | | 7.10 | 14.20 | 14.48 | |
| 26 | 35 | 35 | 70 | | 2.30 | 2.90 | 2.90 | 5.60 | | 6.85 | 13.70 | 13.97 | 2.30 | 3.20 | 3.20 | 5.80 | | 7.25 | 14.50 | 14.79 | |
| 26 | 35 | 50 | 50 | | 2.20 | 2.90 | 4.21 | 4.21 | | 6.76 | 13.52 | 13.79 | 2.40 | 3.30 | 4.40 | 4.40 | | 7.25 | 14.50 | 14.79 | |
| 35 | 35 | 35 | 35 | | 3.08 | 3.08 | 3.08 | 3.08 | | 6.16 | 12.32 | 12.57 | 3.43 | 3.43 | 3.43 | 3.43 | | 6.86 | 13.72 | 13.99 | |
| 35 | 35 | 35 | 50 | | 3.10 | 3.10 | 3.10 | 4.19 | | 6.74 | 13.49 | 13.75 | 3.30 | 3.30 | 3.30 | 4.30 | | 7.10 | 14.20 | 14.48 | |
| 35 | 35 | 35 | 70 | | 2.90 | 2.90 | 2.90 | 5.10 | | 6.90 | 13.80 | 14.08 | 3.00 | 3.00 | 3.00 | 5.50 | | 7.25 | 14.50 | 14.79 | |
| 35 | 35 | 50 | 50 | | 2.90 | 2.90 | 4.00 | 4.00 | | 6.90 | 13.80 | 14.08 | 2.80 | 2.80 | 3.90 | 5.00 | | 7.25 | 14.50 | 14.79 | |
| 35 | 35 | 50 | 70 | | 2.80 | 2.80 | 3.90 | 4.50 | | 7.00 | 14.00 | 14.28 | 2.70 | 2.70 | 3.90 | 5.20 | | 7.25 | 14.50 | 14.79 | |

