

## Hotflo 10

Gas Instantaneous Hot Water System





## Experience our innovation

Rinnai are proud to introduce the latest addition to our comprehensive range of hot water systems, the Hotflo 10. This compact appliance will deliver 10 litres per minute of hot water, ideal for replacement of current systems or low demand hot water applications. No power is required to operate the unit, making it an ideal solution for areas with unreliable or no power.

Our renowned Rinnai innovation has inspired this product, which features our unique  $Puretemp^{TM}$  temperature stability technology – eliminating hot and cold temperature fluctuations common in older generation hot water systems.

Class leading gas efficiency and a comprehensive warranty makes the Hotflo 10 the obvious choice for your next hot water replacement.

## **Features**

- > High efficiency with 5.6 stars
- > 10 litres per minute of hot water @ 25°C rise
- > Battery ignition no power required and ideal for remote locations
- > Sleek and modern design to suit contemporary homes
- > Class leading warranty of 3 years parts and labour and 10 years heat exchanger
- > NG or LPG available
- > Water and gas connections placed for quick and easy changeover
- > Puretemp™ water delivery technology inbuilt to provide a perfectly constant outlet water temperature
- > Minimum flow rate of 2.9 litres per minute










Specifications			
Model	IHF10N or L		
Width (mm)	380		
Depth (mm)	219		
Height (mm)	838		
Weight (kg)	14		
Flow rate (@ 25°C rise)	10 lpm		
Set temp	60°		
Gas Consumption (Mj/h)	76.2 / 76		
Star rating	5.6		
Min inlet water pressure (kPa)	120		
Max inlet water pressure (kPa)	1000		
Ignition source	D cell battery (Supplied)		

Plumbing connections		
Hot	R 1/2'(13mm)	
Cold	R 1/2'(13mm)	
Gas - NG (regulator kit supplied - 1,2,4)	R 3/4' (20mm)	
Gas - LP (regulator kit supplied - 1,2,3)	R 1/2' (13mm)	



- 1) ½' Gas Adaptor with washer (supplied)
- 2 Gas Regulator (supplied)
- (3) ½' to ½' Regulator inlet pressur test point (supplied)
- (4) 3/4' to 1/2' Regulator inlet pressur test point (supplied)

Warranty Instantaneous Water Heaters (1) (2)		All Hotflo Instantaneous Models (IHF10)		
		Heat Exchanger	All other components	
Domestic Use	Parts	10 Years	3 Years	
	Labour	3 Years	3 Years	
Commercial Use	Parts	1 Year	1 Year	
	Labour	1 Year	1 Year	

**Disclaimer:** (1) The models in this table are unsuitable for solar hot water applications. Any failure or service issue when installed in a solar hot water application is not covered by warranty. (2) These models must not be installed in areas where the temperature remains below 0°C for extended periods. Frost failures are not covered by warranty. The images reproduced in this brochure are not to scale and may vary to the colour of the represented product.

## Rinnai Australia Pty Ltd

ABN 74 005 138 769

10-11 Walker Street, Braeside, Victoria 3195

For further information visit **www.rinnai.com.au** or call 1300 555 545

