

Rinnai



Mini VRF Air Conditioner



Introducing Rinnai Mini VRF

The Rinnai Mini VRF (Variable Refrigerant Flow) Air Conditioning system is an advanced climate control solution designed to heat or cool multiple rooms in your home using just one outdoor unit. It works by efficiently circulating refrigerant between the outdoor unit and several indoor units placed throughout your home, allowing you to set individual temperatures in each room or zone.

Unlike traditional air conditioning systems that treat the home as a single space, a Mini VRF gives you precise, room-by-room control. Everyone can enjoy their ideal

temperature, whether it's a warm bedroom in winter or a cool lounge in summer. This zoned approach helps reduce energy usage by heating or cooling only the spaces in use, which in turn lowers running costs.

With its compact outdoor footprint, Mini VRF is well suited to homes with limited exterior space. Inside, it offers a quiet, unobtrusive solution that blends seamlessly with your living areas. Whether you're building new, renovating, or upgrading your climate control system, Mini VRF is a smart, flexible option that adapts to your home and lifestyle.



Individual room control



Flexible installation



Powerful outdoor unit



Smart climate control with built-in Wi-Fi





At Rinnai, we're all about comfort

For over 50 years, Rinnai has supplied Australian homes with a range of appliances that help people lead comfortable, safe and efficient lifestyles.

Being driven to create comfort means that we really care about our products and your experience from start to finish. We're focused on developing products with the latest technology and our level of quality is second-to-none, so you can rest assured knowing Rinnai will deliver.

We're at your service

The National Customer Care Centre provides first class service and maintenance of your system, ensuring it's running at its highest efficiency - so you can enjoy the Rinnai experience for many years to come.

Operating 5 days a week
(Monday to Friday)

13 43 73

Minimal Disruption. Maximum Efficiency.

The Rinnai Mini VRF Air Conditioning System is designed with higher efficiency and more advanced refrigerant control than typical multi split systems. Because of this, they often require smaller diameter piping and less overall pipe length to connect indoor and outdoor units.

This leads to real homeowner benefits:

Smaller wall and ceiling penetrations

Less invasive installation with smaller holes means reduced impact on your home's structure and finish.

More space-saving

Slimmer piping allows for easier routing through tight spaces, which is ideal for multi-storey homes or renovations.

Neater appearance

With less visible trunking and wall disruption, your interiors stay cleaner and more polished.

Lower material and labour costs

Reduced piping can shorten installation time and help lower overall installation costs.

Built for Australian Homes

The smart solution for a wide range of Australian homes, the Rinnai Mini VRF Air Conditioning System is designed to deliver efficient, tailored climate control across a variety of home sizes and layouts.



Large family homes

Set different temperatures in 3, 4, 5 or 6 rooms from one outdoor unit, ideal for households with varying climate control needs.



Multi-storey houses

Long piping capability and flexible indoor unit placement make it easy to install across multiple levels with minimal disruption.



Renovations & extensions

Perfect for adding climate control to new or updated areas where ducted systems may not be practical or possible.



Townhouses or compact lots

A compact outdoor unit and discreet indoor unit design make it ideal for homes with tight property boundaries or limited space.



Modern, lifestyle-driven homes

Ideal for energy-conscious households that want individual room control, smart features, and quieter operation throughout the home.

Behind the System

The Rinnai Mini VRF system operates using a single outdoor unit that distributes refrigerant through one main pipe run into a branch box, which acts as a central distribution point. From the branch box, individual refrigerant lines connect to each indoor unit, allowing independent control across multiple zones within the home.

The branch box includes built-in electronic expansion valves, which regulate the flow of refrigerant to each indoor unit based on demand. This setup enables the system to deliver precise heating or cooling to specific areas without overconditioning unused spaces.

Unlike traditional multi split systems, which typically require multiple pipe runs back to the outdoor unit, the Mini VRF's branch box configuration simplifies installation, reduces piping requirements, and enhances system efficiency.

Each indoor unit operates independently, responding to the temperature set for its zone, while the outdoor unit modulates output based on overall demand, ensuring quiet, energy-efficient performance.



Features and Benefits

Flare Connection Benefits

"Flare connections" refers to the type of joints used to connect the refrigerant piping between the indoor and outdoor units.

A flare connection involves widening the end of a copper pipe and securing it with a nut to form a strong, sealed joint, without the need for any welding.

This approach offers several advantages:

Faster, more streamlined installation

Compared to some multi split systems that may involve more complex piping or welding, the all flare setup makes installation quicker and simpler for installers, reducing installation costs.

No brazing or welding required

Flare connections are mechanical, which means there's no need for high temperature flame work or special safety precautions on site. This can simplify and speed up installation.

Easier to maintain and service

Since the joints can be unscrewed and reconnected, technicians can access the system for repairs or upgrades more easily.

Zoned Living & Control



Individual Room Control

Set different temperatures in each room for personalised comfort and improved energy efficiency.



Smart Control Ready

The built-in Wi-Fi module allows you to manage temperature, modes, and power remotely using the app*, all from your smartphone or tablet.



Customisable Airflow

Choose automatic swing for both vertical and horizontal louvres for even air distribution, or set them manually to direct air exactly where you want it.

Technology & Performance



Full DC Inverter Technology

Delivers quiet, energy-efficient climate control by adjusting compressor and fan speeds to match demand, reducing energy usage, maintaining steady temperatures, and avoiding the noise of constant start-stop cycles.



Wide Operating Range

Reliable operation from -5°C to 55°C in cooling mode and -15°C to 27°C in heating mode for dependable performance, even in extreme ambient conditions.



Quiet Branch Box Operation

Built-in electric expansion valves reduce mechanical and refrigerant flow noise, making the system ideal for quiet spaces like bedrooms and home offices.

Installation Flexibility & Design



Flexible Installation

Easily connect 3 to 6 indoor units to a single outdoor unit for a tailored configuration that suits your home's needs and layout.



Compact Outdoor Unit Design

The space-saving outdoor unit is ideal for maximising backyard space and minimising external visual impact.



Longer Piping Capability

Engineered to support longer refrigerant pipe runs between the outdoor unit and indoor units. Suitable for multi-storey homes, providing greater flexibility for outdoor unit placement, such as in a less visible or hidden area.



High-Lift Drain Pump

A built-in drain pump for indoor units lifts condensation up to 1200mm, allowing for flexible placement and discreet drainage. Ideal for clean installations where gravity-fed drainage isn't possible or nearby.



Minimal Clearance Installation

Designed to be mounted as close as 3cm from the ceiling, this unit offers a sleek, space-saving look that's perfect for low ceilings or tight wall spaces.



Easy Maintenance Access

The main control board (PCB – printed circuit board) is centrally located within the indoor unit for quicker access, making servicing faster, simpler, and less disruptive to your home.



Flare Connections

Simplified, weld-free installation. Flare connections reduce setup time, installation costs, and make it easier to maintain and service your system.



Smaller Pipe Requirements

Compared to multi split systems, the Mini VRF requires smaller diameter piping and less overall pipe length for easier routing through tight spaces, lower installation costs, and a less invasive installation.

Rinnai uses a third-party application (App) to enhance your experience of the Rinnai product. You may use the App at your sole discretion. Please note that when you download and use the App and its services, the third-party's privacy policy and terms and conditions of service will apply.

By using the Rinnai product through this App, you acknowledge and agree that:

The third-party App may collect, store, and process your personal information according to its own privacy policy and App terms and conditions.

Rinnai does not control and are not responsible for the content, policies, or practices of the third-party App and its services.

Rinnai strongly recommends that you review the App privacy policy before using its features.

The use of the third-party App is optional. For further information or clarification, please contact us at 1300 555 545 and privacy@rinnai.com.au

Government rebates available

Homeowners may be eligible for rebates when they install a high efficiency Rinnai Mini VRF system. To find out if you qualify, be sure to check the requirements in your local state or territory. These rebates can offer extra savings in addition to the long term reduction in energy costs. With reduced emissions and possible upfront incentives, the Rinnai Mini VRF is a smart and future ready option for climate control throughout the entire home.

Technical Information



Outdoor Unit

Model			MVRFON6H20
Power Supply		V-Ph-Hz	220-240-1-50
Heating	Rate Capacity (Range)	kW	23.5 (12 - 30.6)
	Rated Input Power	kW	5.3
	Rated Input Current	A	22.1
	ACOP		4.33
Cooling	Rate Capacity (Range)	kW	20 (10 - 26)
	Rated Input Power	kW	4.95
	Rated Input Current	A	20.43
	AEER		3.93
Maximum Input Current		A	33
Recommended Circuit Breaker		A	40
No. of Indoor Units	Maximum quantity		6
Ambient Temp. Operation Range	Cooling	°C	-5-55
	Heating	°C	-15-27
Sound Pressure Level (Cooling/Heating)		dB(A)	59/59
Refrigerant	Type		R410A
	Charge	Kg	4.8
Refrigerant piping	Liquid	mm	9.53
	Gas	mm	19.1
	Pre-Charged Length	m	60
	Maximum Total System Pipe Length	m	200
	Max. Pipe Length per Indoor Unit (ODU to IDU)	m	70
	Max. Pipe Length per Indoor Unit (Branch Box to IDU)	m	15
	Maximum Vertical Separation Outdoor Unit ABOVE Indoor Unit	m	30
	Maximum Vertical Separation Outdoor Unit BELOW Indoor Unit	m	20
	Maximum Height Difference Between Outdoor Unit and Branch Box	m	20
	Maximum Height Difference Between Indoor Unit and Branch Box	m	15
	Maximum Height Difference Between Indoor Units	m	8
Net Dimension (WxHxD)		mm	1120×1558×528
Packing Dimension (WxHxD)		mm	1270×1720×565
Net/Gross Weight		kg	129/145

*The above data may be changed without notice for future improvement on quality and performance.

Technical Information




Wall Mounted

Wall Mounted Split System			HINRMVRF15	HINRMVRF22	HINRMVRF28	HINRMVRF36	HINRMVRF45	HINRMVRF56	HINRMVRF71	HINRMVRF80
Power supply		V-Ph-Hz	220-240-1-50							
Cooling	Rated Capacity	kW	1.5	2.2	2.8	3.6	4.5	5.6	7.1	8.0
	Rated Input Power	W	18	21	24	27	30	40	50	65
	Rated Input Current	A	0.08	0.09	0.1	0.12	0.13	0.17	0.22	0.28
Heating	Rated Capacity	kW	1.7	2.4	3.2	4.0	5.0	6.3	8.0	9.0
	Rated Input Power	W	18	21	24	27	30	40	50	65
	Rated Input Current	A	0.08	0.09	0.1	0.12	0.13	0.17	0.22	0.28
Air Flow Rate (Max/Hi/Med/Lo)		m3/h	460/440/ 380/340	500/470/ 380/340	540/510/ 400/340	580/540/ 420/340	720/670/ 510/410	860/780/ 550/410	1220/1120/ 850/660	1380/1260/ 900/660
Sound Pressure Level (at 1 m) (Max/Hi/Med/Lo)		dB(A)	32/31/ 29/27	33/32/ 29/27	35/34/ 31/28	37/36/ 31/28	37/35/ 31/29	41/39/ 33/29	44/42/ 36/32	45/43/ 37/32
Sound Power Level (Max/Hi/Med/Lo)		dB(A)	45/44/ 42/40	46/45/ 42/40	50/49/ 46/42	54/53/ 48/44	54/52/ 48/44	56/54/ 48/44	58/56/ 50/46	60/57/ 50/46
Unit	Net Dimensions (WxHxD)	mm	750×295×265				950×295×265		1200×295×265	
	Gross Dimensions (WxHxD)	mm	875×385×360				1075×385×360		1315×385×360	
	Net/Gross Weight	kg	10.0/15.5		11.0/16.5		12.5/18.3		16.0/22.2	
Pipe Connections	Liquid/Gas Pipe	mm	Φ6.35/Φ12.7						Φ9.52/Φ15.9	
	Drain Pipe	mm	OD Φ16							
Refrigerant Type			R410A							
Throttle		Type	Electronic expansion valve							
Design Pressure (H/L)		MPa	4.4/2.6							
Controller			Wireless Remote Control							
Wi-Fi Compatibility			Standard							

Branch Boxes

Model	BBMVRF03	BBMVRF04	BBMVRF05	BBMVRF06
Units	3 Indoor	4 Indoor	5 Indoor	6 Indoor



Combination Table

For outdoor unit: MVRFON6H20

Indoor Units	1.5kW	2.2kW	2.8kW	3.6kW	4.5kW	5.6kW	7.1kW	8.0kW
Wall Mounted	HINRMVRF15	HINRMVRF22	HINRMVRF28	HINRMVRF36	HINRMVRF45	HINRMVRF56	HINRMVRF71	HINRMVRF80

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
3 units	1.5kW	3.6kW	5.6kW	—	—	—	1.5	3.6	5.6	—	—	—	9.6	10.7	11.5	1.7	4.0	6.3	—	—	—	10.5	12.0	12.7
	1.5kW	4.5kW	4.5kW	—	—	—	1.5	4.5	4.5	—	—	—	9.4	10.5	11.2	1.7	5.0	5.0	—	—	—	10.3	11.7	12.4
	1.5kW	4.5kW	5.6kW	—	—	—	1.5	4.5	5.6	—	—	—	10.4	11.6	12.4	1.7	5.0	6.3	—	—	—	11.4	13.0	13.8
	1.5kW	5.6kW	5.6kW	—	—	—	1.5	5.6	5.6	—	—	—	11.4	12.7	13.6	1.7	6.3	6.3	—	—	—	12.5	14.3	15.2
	2.2kW	2.2kW	5.6kW	—	—	—	2.2	2.2	5.6	—	—	—	9.0	10.0	10.8	2.4	2.4	6.3	—	—	—	9.7	11.1	11.9
	2.2kW	2.8kW	5.6kW	—	—	—	2.2	2.8	5.6	—	—	—	9.5	10.6	11.4	2.4	3.2	6.3	—	—	—	10.4	11.9	12.7
	2.2kW	3.6kW	4.5kW	—	—	—	2.2	3.6	4.5	—	—	—	9.2	10.3	11.1	2.4	4.0	5.0	—	—	—	10.0	11.4	12.1
	2.2kW	3.6kW	5.6kW	—	—	—	2.2	3.6	5.6	—	—	—	10.2	11.4	12.3	2.4	4.0	6.3	—	—	—	11.1	12.7	13.5
	2.2kW	4.5kW	4.5kW	—	—	—	2.2	4.5	4.5	—	—	—	10.0	11.2	12.0	2.4	5.0	5.0	—	—	—	10.9	12.4	13.2
	2.2kW	4.5kW	5.6kW	—	—	—	2.2	4.5	5.6	—	—	—	11.0	12.3	13.2	2.4	5.0	6.3	—	—	—	12.0	13.7	14.6
	2.2kW	5.6kW	5.6kW	—	—	—	2.2	5.6	5.6	—	—	—	12.0	13.4	14.4	2.4	6.3	6.3	—	—	—	13.1	15.0	16.0
	2.8kW	2.8kW	4.5kW	—	—	—	2.8	2.8	4.5	—	—	—	9.0	10.1	10.8	3.2	3.2	5.0	—	—	—	10.0	11.4	12.1
	2.8kW	2.8kW	5.6kW	—	—	—	2.8	2.8	5.6	—	—	—	10.0	11.2	12.0	3.2	3.2	6.3	—	—	—	11.1	12.7	13.5
	2.8kW	3.6kW	3.6kW	—	—	—	2.8	3.6	3.6	—	—	—	8.9	10.0	10.8	3.2	4.0	4.0	—	—	—	9.8	11.2	11.8
	2.8kW	3.6kW	4.5kW	—	—	—	2.8	3.6	4.5	—	—	—	9.7	10.9	11.7	3.2	4.0	5.0	—	—	—	10.7	12.2	12.9
	2.8kW	3.6kW	5.6kW	—	—	—	2.8	3.6	5.6	—	—	—	10.7	12.0	12.9	3.2	4.0	6.3	—	—	—	11.8	13.5	14.3
	2.8kW	4.5kW	4.5kW	—	—	—	2.8	4.5	4.5	—	—	—	10.5	11.8	12.6	3.2	5.0	5.0	—	—	—	11.6	13.2	14.0
	2.8kW	4.5kW	5.6kW	—	—	—	2.8	4.5	5.6	—	—	—	11.5	12.9	13.8	3.2	5.0	6.3	—	—	—	12.7	14.5	15.4
	2.8kW	5.6kW	5.6kW	—	—	—	2.8	5.6	5.6	—	—	—	12.5	14.0	15.0	3.2	6.3	6.3	—	—	—	13.8	15.8	16.8
	3.6kW	3.6kW	3.6kW	—	—	—	3.6	3.6	3.6	—	—	—	9.6	10.8	11.7	4.0	4.0	4.0	—	—	—	10.5	12.0	12.6
	3.6kW	3.6kW	4.5kW	—	—	—	3.6	3.6	4.5	—	—	—	10.4	11.7	12.6	4.0	4.0	5.0	—	—	—	11.4	13.0	13.7
	3.6kW	3.6kW	5.6kW	—	—	—	3.6	3.6	5.6	—	—	—	11.4	12.8	13.8	4.0	4.0	6.3	—	—	—	12.5	14.3	15.1
	3.6kW	4.5kW	4.5kW	—	—	—	3.6	4.5	4.5	—	—	—	11.2	12.6	13.5	4.0	5.0	5.0	—	—	—	12.3	14.0	14.8
	3.6kW	4.5kW	5.6kW	—	—	—	3.6	4.5	5.6	—	—	—	12.2	13.7	14.7	4.0	5.0	6.3	—	—	—	13.4	15.3	16.2
	3.6kW	5.6kW	5.6kW	—	—	—	3.6	5.6	5.6	—	—	—	13.2	14.8	15.9	4.0	6.3	6.3	—	—	—	14.5	16.6	17.6
	4.5kW	4.5kW	4.5kW	—	—	—	4.5	4.5	4.5	—	—	—	12.0	13.5	14.4	5.0	5.0	5.0	—	—	—	13.2	15.0	15.9
	4.5kW	4.5kW	5.6kW	—	—	—	4.5	4.5	5.6	—	—	—	13.0	14.6	15.6	5.0	5.0	6.3	—	—	—	14.3	16.3	17.3
	4.5kW	5.6kW	5.6kW	—	—	—	4.5	5.6	5.6	—	—	—	14.0	15.7	16.8	5.0	6.3	6.3	—	—	—	15.4	17.6	18.7
	5.6kW	5.6kW	5.6kW	—	—	—	5.6	5.6	5.6	—	—	—	15.0	16.8	18.0	6.3	6.3	6.3	—	—	—	16.5	18.9	20.1
4 units	1.5kW	1.5kW	1.5kW	7.1kW	—	—	1.5	1.5	1.5	7.1	—	—	10.5	10.7	11.5	1.7	1.7	1.7	8.0	—	—	11.5	13.1	13.9
	1.5kW	1.5kW	1.5kW	8.0kW	—	—	1.5	1.5	1.5	8.0	—	—	11.3	10.5	11.2	1.7	1.7	1.7	9.0	—	—	12.3	14.1	14.9
	1.5kW	1.5kW	2.2kW	7.1kW	—	—	1.5	1.5	2.2	7.1	—	—	11.1	11.6	12.4	1.7	1.7	2.4	8.0	—	—	12.1	13.8	14.7
	1.5kW	1.5kW	2.2kW	8.0kW	—	—	1.5	1.5	2.2	8.0	—	—	11.9	12.7	13.6	1.7	1.7	2.4	9.0	—	—	12.9	14.8	15.7
	1.5kW	1.5kW	2.8kW	7.1kW	—	—	1.5	1.5	2.8	7.1	—	—	11.6	10.0	10.8	1.7	1.7	3.2	8.0	—	—	12.8	14.6	15.5
	1.5kW	1.5kW	2.8kW	8.0kW	—	—	1.5	1.5	2.8	8.0	—	—	12.4	10.6	11.4	1.7	1.7	3.2	9.0	—	—	13.6	15.6	16.5
	1.5kW	1.5kW	3.6kW	7.1kW	—	—	1.5	1.5	3.6	7.1	—	—	12.3	10.3	11.1	1.7	1.7	4.0	8.0	—	—	13.5	15.4	16.3
	1.5kW	1.5kW	3.6kW	8.0kW	—	—	1.5	1.5	3.6	8.0	—	—	13.1	11.4	12.3	1.7	1.7	4.0	9.0	—	—	14.3	16.4	17.3
	1.5kW	1.5kW	4.5kW	7.1kW	—	—	1.5	1.5	4.5	7.1	—	—	13.1	11.2	12.0	1.7	1.7	5.0	8.0	—	—	14.4	16.4	17.4
	1.5kW	1.5kW	4.5kW	8.0kW	—	—	1.5	1.5	4.5	8.0	—	—	13.9	12.3	13.2	1.7	1.7	5.0	9.0	—	—	15.2	17.4	18.4
	1.5kW	1.5kW	5.6kW	7.1kW	—	—	1.5	1.5	5.6	7.1	—	—	14.1	13.4	14.4	1.7	1.7	6.3	8.0	—	—	15.5	17.7	18.8
	1.5kW	1.5kW	5.6kW	8.0kW	—	—	1.5	1.5	5.6	8.0	—	—	14.9	10.1	10.8	1.7	1.7	6.3	9.0	—	—	16.3	18.7	19.8
	1.5kW	2.2kW	2.2kW	7.1kW	—	—	1.5	2.2	2.2	7.1	—	—	11.7	11.2	12.0	1.7	2.4	2.4	8.0	—	—	12.7	14.5	15.5
	1.5kW	2.2kW	2.2kW	8.0kW	—	—	1.5	2.2	2.2	8.0	—	—	12.5	10.0	10.8	1.7	2.4	2.4	9.0	—	—	13.5	15.5	16.5
	1.5kW	2.2kW	2.8kW	7.1kW	—	—	1.5	2.2	2.8	7.1	—	—	12.2	10.9	11.7	1.7	2.4	3.2	8.0	—	—	13.4	15.3	16.3
	1.5kW	2.2kW	2.8kW	8.0kW	—	—	1.5	2.2	2.8	8.0	—	—	13.0	12.0	12.9	1.7	2.4	3.2	9.0	—	—	14.2	16.3	17.3
	1.5kW	2.2kW	3.6kW	7.1kW	—	—	1.5	2.2	3.6	7.1	—	—	12.9	11.8	12.6	1.7	2.4	4.0	8.0	—	—	14.1	16.1	17.1
	1.5kW	2.2kW	3.6kW	8.0kW	—	—	1.5	2.2	3.6	8.0	—	—	13.7	12.9	13.8	1.7	2.4	4.0	9.0	—	—	14.9	17.1	18.1
	1.5kW	2.2kW	4.5kW	7.1kW	—	—	1.5	2.2	4.5	7.1	—	—	13.7	14.0	15.0	1.7	2.4	5.0	8.0	—	—	15.0	17.1	18.2
	1.5kW	2.2kW	4.5kW	8.0kW	—	—	1.5	2.2	4.5	8.0	—	—	14.5	10.8	11.7	1.7	2.4	5.0	9.0	—	—	15.8	18.1	19.2
	1.5kW	2.2kW	5.6kW	7.1kW	—	—	1.5	2.2	5.6	7.1	—	—	14.7	11.7	12.6	1.7	2.4	6.3	8.0	—	—	16.1	18.4	19.6
1.5kW	2.2kW	5.6kW	8.0kW	—	—	1.5	2.2	5.6	8.0	—	—	15.5	12.8	13.8	1.7	2.4	6.3	9.0	—	—	16.9	19.4	20.6	
1.5kW	2.8kW	2.8kW	7.1kW	—	—	1.5	2.8	2.8	7.1	—	—	12.7	12.6	13.5	1.7	3.2	3.2	8.0	—	—	14.1	16.1	17.1	
1.5kW	2.8kW	2.8kW	8.0kW	—	—	1.5	2.8	2.8	8.0	—	—	13.5	13.7	14.7	1.7	3.2	3.2	9.0	—	—	14.9	17.1	18.1	
1.5kW	2.8kW	3.6kW	7.1kW	—	—	1.5	2.8	3.6	7.1	—	—	13.4	14.8	15.9	1.7	3.2	4.0	8.0	—	—	14.8	16.9	17.9	
1.5kW	2.8kW	3.6kW	8.0kW	—	—	1.5	2.8	3.6	8.0	—	—	14.2	13.5	14.4	1.7	3.2	4.0	9.0	—	—	15.6	17.9	18.9	
1.5kW	2.8kW	4.5kW	7.1kW	—	—	1.5	2.8	4.5	7.1	—	—	14.2	14.6	15.6	1.7	3.2	5.0	8.0	—	—	15.7	17.9	19.0	

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
4 units	1.5kW	2.8kW	4.5kW	8.0kW	—	—	1.5	2.8	4.5	8.0	—	—	15.0	15.7	16.8	1.7	3.2	5.0	9.0	—	—	16.5	18.9	20.0
	1.5kW	2.8kW	5.6kW	7.1kW	—	—	1.5	2.8	5.6	7.1	—	—	15.2	16.8	18.0	1.7	3.2	6.3	8.0	—	—	16.8	19.2	20.4
	1.5kW	2.8kW	5.6kW	8.0kW	—	—	1.5	2.8	5.6	8.0	—	—	16.0	11.6	12.4	1.7	3.2	6.3	9.0	—	—	17.6	20.2	21.4
	1.5kW	3.6kW	3.6kW	7.1kW	—	—	1.5	3.6	3.6	7.1	—	—	14.1	12.5	13.3	1.7	4.0	4.0	8.0	—	—	15.5	17.7	18.7
	1.5kW	3.6kW	3.6kW	8.0kW	—	—	1.5	3.6	3.6	8.0	—	—	14.9	12.3	13.2	1.7	4.0	4.0	9.0	—	—	16.3	18.7	19.7
	1.5kW	3.6kW	4.5kW	7.1kW	—	—	1.5	3.6	4.5	7.1	—	—	14.9	13.2	14.1	1.7	4.0	5.0	8.0	—	—	16.4	18.7	19.8
	1.5kW	3.6kW	4.5kW	8.0kW	—	—	1.5	3.6	4.5	8.0	—	—	15.7	12.9	13.8	1.7	4.0	5.0	9.0	—	—	17.2	19.7	20.8
	1.5kW	3.6kW	5.6kW	7.1kW	—	—	1.5	3.6	5.6	7.1	—	—	15.9	13.8	14.7	1.7	4.0	6.3	8.0	—	—	17.5	20.0	21.2
	1.5kW	3.6kW	5.6kW	8.0kW	—	—	1.5	3.6	5.6	8.0	—	—	16.7	13.7	14.7	1.7	4.0	6.3	9.0	—	—	18.3	21.0	22.2
	1.5kW	4.5kW	4.5kW	7.1kW	—	—	1.5	4.5	4.5	7.1	—	—	15.7	14.6	15.6	1.7	5.0	5.0	8.0	—	—	17.3	19.7	20.9
	1.5kW	4.5kW	4.5kW	8.0kW	—	—	1.5	4.5	4.5	8.0	—	—	16.5	14.6	15.6	1.7	5.0	5.0	9.0	—	—	18.1	20.7	21.9
	1.5kW	4.5kW	5.6kW	7.1kW	—	—	1.5	4.5	5.6	7.1	—	—	16.7	15.5	16.5	1.7	5.0	6.3	8.0	—	—	18.4	21.0	22.3
	1.5kW	4.5kW	5.6kW	8.0kW	—	—	1.5	4.5	5.6	8.0	—	—	17.5	15.7	16.8	1.7	5.0	6.3	9.0	—	—	19.2	22.0	23.3
	1.5kW	5.6kW	5.6kW	7.1kW	—	—	1.5	5.6	5.6	7.1	—	—	17.7	16.6	17.7	1.7	6.3	6.3	8.0	—	—	19.5	22.3	23.5
	1.5kW	5.6kW	5.6kW	8.0kW	—	—	1.4	5.4	5.4	7.7	—	—	18.5	13.0	14.0	1.7	6.3	6.3	9.0	—	—	20.3	23.3	23.5
	2.2kW	2.2kW	2.2kW	7.1kW	—	—	2.2	2.2	2.2	7.1	—	—	12.3	13.9	14.9	2.4	2.4	2.4	8.0	—	—	13.3	15.2	16.3
	2.2kW	2.2kW	2.2kW	8.0kW	—	—	2.2	2.2	2.2	8.0	—	—	13.1	13.6	14.6	2.4	2.4	2.4	9.0	—	—	14.1	16.2	17.3
	2.2kW	2.2kW	2.8kW	7.1kW	—	—	2.2	2.2	2.8	7.1	—	—	12.8	14.5	15.5	2.4	2.4	3.2	8.0	—	—	14.0	16.0	17.1
	2.2kW	2.2kW	2.8kW	8.0kW	—	—	2.2	2.2	2.8	8.0	—	—	13.6	14.4	15.5	2.4	2.4	3.2	9.0	—	—	14.8	17.0	18.1
	2.2kW	2.2kW	3.6kW	7.1kW	—	—	2.2	2.2	3.6	7.1	—	—	13.5	15.3	16.4	2.4	2.4	4.0	8.0	—	—	14.7	16.8	17.9
	2.2kW	2.2kW	3.6kW	8.0kW	—	—	2.2	2.2	3.6	8.0	—	—	14.3	15.3	16.4	2.4	2.4	4.0	9.0	—	—	15.5	17.8	18.9
	2.2kW	2.2kW	4.5kW	7.1kW	—	—	2.2	2.2	4.5	7.1	—	—	14.3	16.2	17.3	2.4	2.4	5.0	8.0	—	—	15.6	17.8	19.0
	2.2kW	2.2kW	4.5kW	8.0kW	—	—	2.2	2.2	4.5	8.0	—	—	15.1	16.4	17.6	2.4	2.4	5.0	9.0	—	—	16.4	18.8	20.0
	2.2kW	2.2kW	5.6kW	7.1kW	—	—	2.2	2.2	5.6	7.1	—	—	15.3	17.3	18.5	2.4	2.4	6.3	8.0	—	—	16.7	19.1	20.4
	2.2kW	2.2kW	5.6kW	8.0kW	—	—	2.2	2.2	5.6	8.0	—	—	16.1	14.2	15.2	2.4	2.4	6.3	9.0	—	—	17.5	20.1	21.4
	2.2kW	2.8kW	2.8kW	7.1kW	—	—	2.2	2.8	2.8	7.1	—	—	13.3	15.1	16.1	2.4	3.2	3.2	8.0	—	—	14.7	16.8	17.9
	2.2kW	2.8kW	2.8kW	8.0kW	—	—	2.2	2.8	2.8	8.0	—	—	14.1	15.0	16.1	2.4	3.2	3.2	9.0	—	—	15.5	17.8	18.9
	2.2kW	2.8kW	3.6kW	7.1kW	—	—	2.2	2.8	3.6	7.1	—	—	14.0	15.9	17.0	2.4	3.2	4.0	8.0	—	—	15.4	17.6	18.7
	2.2kW	2.8kW	3.6kW	8.0kW	—	—	2.2	2.8	3.6	8.0	—	—	14.8	15.9	17.0	2.4	3.2	4.0	9.0	—	—	16.2	18.6	19.7
	2.2kW	2.8kW	4.5kW	7.1kW	—	—	2.2	2.8	4.5	7.1	—	—	14.8	16.8	17.9	2.4	3.2	5.0	8.0	—	—	16.3	18.6	19.8
	2.2kW	2.8kW	4.5kW	8.0kW	—	—	2.2	2.8	4.5	8.0	—	—	15.6	17.0	18.2	2.4	3.2	5.0	9.0	—	—	17.1	19.6	20.8
	2.2kW	2.8kW	5.6kW	7.1kW	—	—	2.2	2.8	5.6	7.1	—	—	15.8	17.9	19.1	2.4	3.2	6.3	8.0	—	—	17.4	19.9	21.2
	2.2kW	2.8kW	5.6kW	8.0kW	—	—	2.2	2.8	5.6	8.0	—	—	16.6	15.8	17.0	2.4	3.2	6.3	9.0	—	—	18.2	20.9	22.2
	2.2kW	2.8kW	3.6kW	7.1kW	—	—	2.2	2.8	3.6	7.1	—	—	14.0	16.7	17.9	2.4	3.2	4.0	8.0	—	—	15.4	17.6	18.7
	2.2kW	2.8kW	3.6kW	8.0kW	—	—	2.2	2.8	3.6	8.0	—	—	14.8	16.7	17.9	2.4	3.2	4.0	9.0	—	—	16.2	18.6	19.7
	2.2kW	2.8kW	4.5kW	7.1kW	—	—	2.2	2.8	4.5	7.1	—	—	14.8	17.6	18.8	2.4	3.2	5.0	8.0	—	—	16.3	18.6	19.8
	2.2kW	2.8kW	4.5kW	8.0kW	—	—	2.2	2.8	4.5	8.0	—	—	15.6	17.8	19.1	2.4	3.2	5.0	9.0	—	—	17.1	19.6	20.8
	2.2kW	2.8kW	5.6kW	7.1kW	—	—	2.2	2.8	5.6	7.1	—	—	15.8	18.7	20.0	2.4	3.2	6.3	8.0	—	—	17.4	19.9	21.2
	2.2kW	2.8kW	5.6kW	8.0kW	—	—	2.2	2.8	5.6	8.0	—	—	16.6	17.6	18.8	2.4	3.2	6.3	9.0	—	—	18.2	20.9	22.2
	2.2kW	3.6kW	3.6kW	7.1kW	—	—	2.2	3.6	3.6	7.1	—	—	14.7	18.5	19.7	2.4	4.0	4.0	8.0	—	—	16.1	18.4	19.5
	2.2kW	3.6kW	3.6kW	8.0kW	—	—	2.2	3.6	3.6	8.0	—	—	15.5	18.7	20.0	2.4	4.0	4.0	9.0	—	—	16.9	19.4	20.5
	2.2kW	3.6kW	4.5kW	7.1kW	—	—	2.2	3.6	4.5	7.1	—	—	15.5	19.6	20.0	2.4	4.0	5.0	8.0	—	—	17.0	19.4	20.6
	2.2kW	3.6kW	4.5kW	8.0kW	—	—	2.2	3.6	4.5	8.0	—	—	16.3	19.8	20.0	2.4	4.0	5.0	9.0	—	—	17.8	20.4	21.6
	2.2kW	3.6kW	5.6kW	7.1kW	—	—	2.2	3.6	5.6	7.1	—	—	16.5	20.0	20.0	2.4	4.0	6.3	8.0	—	—	18.1	20.7	22.0
	2.2kW	3.6kW	5.6kW	8.0kW	—	—	2.2	3.6	5.6	8.0	—	—	17.3	13.7	14.8	2.4	4.0	6.3	9.0	—	—	18.9	21.7	23.0
	2.2kW	4.5kW	4.5kW	7.1kW	—	—	2.2	4.5	4.5	7.1	—	—	16.3	14.6	15.7	2.4	5.0	5.0	8.0	—	—	17.9	20.4	21.7
	2.2kW	4.5kW	4.5kW	8.0kW	—	—	2.2	4.5	4.5	8.0	—	—	17.1	14.3	15.4	2.4	5.0	5.0	9.0	—	—	18.7	21.4	22.7
	2.2kW	4.5kW	5.6kW	7.1kW	—	—	2.2	4.5	5.6	7.1	—	—	17.3	15.2	16.3	2.4	5.0	6.3	8.0	—	—	19.0	21.7	23.1
	2.2kW	4.5kW	5.6kW	8.0kW	—	—	2.2	4.4	5.5	7.9	—	—	18.1	15.1	16.3	2.4	5.0	6.3	9.0	—	—	19.8	22.7	23.5
	2.2kW	5.6kW	5.6kW	7.1kW	—	—	2.1	5.5	5.5	6.9	—	—	18.3	16.0	17.2	2.4	6.3	6.3	8.0	—	—	20.1	23.0	23.5
	2.2kW	5.6kW	5.6kW	8.0kW	—	—	2.1	5.2	5.2	7.5	—	—	19.1	16.0	17.2	2.4								

	Indoor Unit Combinations						Cooling									Heating									
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)			
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	
4 units	2.8kW	4.5kW	5.6kW	7.1kW	—	—	2.8	4.5	5.6	7.1	—	—	17.8	18.6	19.9	3.2	5.0	6.3	8.0	—	—	19.7	22.5	23.5	
	2.8kW	4.5kW	5.6kW	8.0kW	—	—	2.7	4.3	5.4	7.7	—	—	18.6	16.5	17.8	3.2	5.0	6.3	9.0	—	—	20.5	23.5	23.5	
	2.8kW	5.6kW	5.6kW	7.1kW	—	—	2.7	5.3	5.3	6.7	—	—	18.8	17.4	18.7	3.2	6.2	6.2	7.9	—	—	20.8	23.5	23.5	
	2.8kW	5.6kW	5.6kW	8.0kW	—	—	2.5	5.1	5.1	7.3	—	—	19.6	17.4	18.7	3.0	6.0	6.0	8.5	—	—	21.6	23.5	23.5	
	3.6kW	3.6kW	3.6kW	7.1kW	—	—	3.6	3.6	4.5	8.0	—	—	15.9	18.3	19.6	4.0	4.0	4.0	8.0	—	—	17.5	20.0	21.1	
	3.6kW	3.6kW	3.6kW	8.0kW	—	—	3.6	3.6	5.6	7.1	—	—	16.7	18.5	19.9	4.0	4.0	4.0	9.0	—	—	18.3	21.0	22.1	
	3.6kW	3.6kW	4.5kW	7.1kW	—	—	3.6	4.5	4.5	7.1	—	—	16.7	19.4	20.0	4.0	4.0	5.0	8.0	—	—	18.4	21.0	22.2	
	3.6kW	3.6kW	4.5kW	8.0kW	—	—	3.6	3.6	4.5	8.0	—	—	17.5	18.3	19.6	4.0	4.0	5.0	9.0	—	—	19.2	22.0	23.2	
	3.6kW	3.6kW	5.6kW	7.1kW	—	—	3.5	3.5	5.4	7.7	—	—	17.7	19.2	20.0	4.0	4.0	6.3	8.0	—	—	19.5	22.3	23.5	
	3.6kW	3.6kW	5.6kW	8.0kW	—	—	3.5	3.5	5.4	7.7	—	—	18.5	19.4	20.0	4.0	4.0	6.3	9.0	—	—	20.3	23.3	23.5	
	3.6kW	4.5kW	4.5kW	7.1kW	—	—	3.5	4.4	4.4	7.8	—	—	17.5	20.0	20.0	4.0	5.0	5.0	8.0	—	—	19.3	22.0	23.3	
	3.6kW	4.5kW	4.5kW	8.0kW	—	—	3.5	4.4	4.4	7.8	—	—	18.3	20.0	20.0	4.0	5.0	5.0	9.0	—	—	20.1	23.0	23.5	
	3.6kW	4.5kW	5.6kW	7.1kW	—	—	3.3	4.1	5.2	7.4	—	—	18.5	20.0	20.0	4.0	5.0	6.3	8.0	—	—	20.4	23.3	23.5	
	3.6kW	4.5kW	5.6kW	8.0kW	—	—	3.3	4.1	5.2	7.4	—	—	19.3	15.5	16.6	3.9	4.8	6.1	8.7	—	—	21.2	23.5	23.5	
	3.6kW	5.6kW	5.6kW	7.1kW	—	—	3.2	4.9	4.9	7.0	—	—	19.5	16.4	17.5	3.8	6.0	6.0	7.6	—	—	21.5	23.5	23.5	
	3.6kW	5.6kW	5.6kW	8.0kW	—	—	3.2	4.9	4.9	7.0	—	—	20.0	16.3	17.5	3.7	5.8	5.8	8.3	—	—	22.3	23.5	23.5	
	4.5kW	4.5kW	4.5kW	7.1kW	—	—	4.2	4.2	4.2	7.4	—	—	18.3	17.2	18.4	5.0	5.0	5.0	8.0	—	—	20.2	23.0	23.5	
	4.5kW	4.5kW	4.5kW	8.0kW	—	—	4.2	4.2	4.2	7.4	—	—	19.1	17.2	18.4	4.9	4.9	4.9	8.8	—	—	21.0	23.5	23.5	
	4.5kW	4.5kW	5.6kW	7.1kW	—	—	4.0	4.0	5.0	7.1	—	—	19.3	18.1	19.3	4.8	4.8	6.1	7.7	—	—	21.3	23.5	23.5	
	4.5kW	4.5kW	5.6kW	8.0kW	—	—	4.0	4.0	5.0	7.1	—	—	20.0	18.3	19.6	4.6	4.6	5.9	8.4	—	—	22.1	23.5	23.5	
	4.5kW	5.6kW	5.6kW	7.1kW	—	—	3.8	4.7	4.7	6.8	—	—	20.0	19.2	20.0	4.6	5.8	5.8	7.3	—	—	22.4	23.5	23.5	
	4.5kW	5.6kW	5.6kW	8.0kW	—	—	3.8	4.7	4.7	6.8	—	—	20.0	17.1	18.4	4.4	5.6	5.6	8.0	—	—	23.2	23.5	23.5	
	5.6kW	5.6kW	5.6kW	7.1kW	—	—	4.5	4.5	4.5	6.5	—	—	20.0	18.0	19.3	5.5	5.5	5.5	7.0	—	—	23.5	23.5	23.5	
	5.6kW	5.6kW	5.6kW	8.0kW	—	—	4.5	4.5	4.5	6.5	—	—	20.0	18.0	19.3	5.3	5.3	5.3	7.6	—	—	23.5	23.5	23.5	
	5 units	1.5kW	1.5kW	1.5kW	1.5kW	7.1kW	—	1.5	1.5	1.5	1.5	7.1	—	11.9	18.9	20.0	1.7	1.7	1.7	1.7	8.0	—	13.0	14.8	15.7
		1.5kW	1.5kW	1.5kW	1.5kW	8.0kW	—	1.5	1.5	1.5	1.5	8.0	—	12.7	19.1	20.0	1.7	1.7	1.7	1.7	9.0	—	13.8	15.8	16.7
		1.5kW	1.5kW	1.5kW	2.2kW	7.1kW	—	1.5	1.5	1.5	2.2	7.1	—	12.5	20.0	20.0	1.7	1.7	1.7	2.4	8.0	—	13.6	15.5	16.5
		1.5kW	1.5kW	1.5kW	2.2kW	8.0kW	—	1.5	1.5	1.5	2.2	8.0	—	13.3	18.9	20.0	1.7	1.7	1.7	2.4	9.0	—	14.4	16.5	17.5
		1.5kW	1.5kW	1.5kW	2.8kW	7.1kW	—	1.5	1.5	1.5	2.8	7.1	—	13.0	19.8	20.0	1.7	1.7	1.7	3.2	8.0	—	14.3	16.3	17.3
		1.5kW	1.5kW	1.5kW	2.8kW	8.0kW	—	1.5	1.5	1.5	2.8	8.0	—	13.8	20.0	20.0	1.7	1.7	1.7	3.2	9.0	—	15.1	17.3	18.3
		1.5kW	1.5kW	1.5kW	3.6kW	7.1kW	—	1.5	1.5	1.5	3.6	7.1	—	13.7	20.0	20.0	1.7	1.7	1.7	4.0	8.0	—	15.0	17.1	18.1
		1.5kW	1.5kW	1.5kW	3.6kW	8.0kW	—	1.5	1.5	1.5	3.6	8.0	—	14.5	20.0	20.0	1.7	1.7	1.7	4.0	9.0	—	15.8	18.1	19.1
1.5kW		1.5kW	1.5kW	4.5kW	7.1kW	—	1.5	1.5	1.5	4.5	7.1	—	14.5	20.0	20.0	1.7	1.7	1.7	5.0	8.0	—	15.9	18.1	19.2	
1.5kW		1.5kW	1.5kW	4.5kW	8.0kW	—	1.5	1.5	1.5	4.5	8.0	—	15.3	17.9	19.3	1.7	1.7	1.7	5.0	9.0	—	16.7	19.1	20.2	
1.5kW		1.5kW	1.5kW	5.6kW	7.1kW	—	1.5	1.5	1.5	5.6	7.1	—	15.5	18.8	20.0	1.7	1.7	1.7	6.3	8.0	—	17.0	19.4	20.6	
1.5kW		1.5kW	1.5kW	5.6kW	8.0kW	—	1.5	1.5	1.5	5.6	8.0	—	16.3	18.8	20.0	1.7	1.7	1.7	6.3	9.0	—	17.8	20.4	21.6	
1.5kW		1.5kW	2.2kW	2.2kW	7.1kW	—	1.5	1.5	2.2	2.2	7.1	—	13.1	19.7	20.0	1.7	1.7	2.4	2.4	8.0	—	14.2	16.2	17.3	
1.5kW		1.5kW	2.2kW	2.2kW	8.0kW	—	1.5	1.5	2.2	2.2	8.0	—	13.9	19.9	20.0	1.7	1.7	2.4	2.4	9.0	—	15.0	17.2	18.3	
1.5kW		1.5kW	2.2kW	2.8kW	7.1kW	—	1.5	1.5	2.2	2.8	7.1	—	13.6	20.0	20.0	1.7	1.7	2.4	3.2	8.0	—	14.9	17.0	18.1	
1.5kW		1.5kW	2.2kW	2.8kW	8.0kW	—	1.5	1.5	2.2	2.8	8.0	—	14.4	19.7	20.0	1.7	1.7	2.4	3.2	9.0	—	15.7	18.0	19.1	
1.5kW		1.5kW	2.2kW	3.6kW	7.1kW	—	1.5	1.5	2.2	3.6	7.1	—	14.3	20.0	20.0	1.7	1.7	2.4	4.0	8.0	—	15.6	17.8	18.9	
1.5kW		1.5kW	2.2kW	3.6kW	8.0kW	—	1.5	1.5	2.2	3.6	8.0	—	15.1	20.0	20.0	1.7	1.7	2.4	4.0	9.0	—	16.4	18.8	19.9	
1.5kW		1.5kW	2.2kW	4.5kW	7.1kW	—	1.5	1.5	2.2	4.5	7.1	—	15.1	20.0	20.0	1.7	1.7	2.4	5.0	8.0	—	16.5	18.8	20.0	
1.5kW		1.5kW	2.2kW	4.5kW	8.0kW	—	1.5	1.5	2.2	4.5	8.0	—	15.9	20.0	20.0	1.7	1.7	2.4	5.0	9.0	—	17.3	19.8	21.0	
1.5kW		1.5kW	2.2kW	5.6kW	7.1kW	—	1.5	1.5	2.2	5.6	7.1	—	16.1	20.0	20.0	1.7	1.7	2.4	6.3	8.0	—	17.6	20.1	21.4	
1.5kW		1.5kW	2.2kW	5.6kW	8.0kW	—	1.5	1.5	2.2	5.6	8.0	—	16.9	20.0	20.0	1.7	1.7	2.4	6.3	9.0	—	18.4	21.1	22.4	
1.5kW		1.5kW	2.8kW	2.8kW	7.1kW	—	1.5	1.5	2.8	2.8	7.1	—	14.1	20.0	20.0	1.7	1.7	3.2	3.2	8.0	—	15.6	17.8	18.9	
1.5kW		1.5kW	2.8kW	2.8kW	8.0kW	—	1.5	1.5	2.8	2.8	8.0	—	14.9	20.0	20.0	1.7	1.7	3.2	3.2	9.0	—	16.4	18.8	19.9	
1.5kW		1.5kW	2.8kW	3.6kW	7.1kW	—	1.5	1.5	2.8	3.6	7.1	—	14.8	20.0	20.0	1.7	1.7	3.2	4.0	8.0	—	16.3	18.6	19.7	
1.5kW		1.5kW	2.8kW	3.6kW	8.0kW	—	1.5	1.5	2.8	3.6	8.0	—	15.6	20.0	20.0	1.7	1.7	3.2	4.0	9.0	—	17.1	19.6	20.7	
1.5kW		1.5kW	2.8kW	4.5kW	7.1kW	—	1.5	1.5	2.8	4.5	7.1	—													

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
5 units	1.5kW	2.2kW	2.2kW	4.5kW	8.0kW	—	1.5	2.2	2.2	4.5	8.0	—	16.5	17.9	19.2	1.7	2.4	2.4	5.0	9.0	—	17.9	20.5	21.8
	1.5kW	2.2kW	2.2kW	5.6kW	7.1kW	—	1.5	2.2	2.2	5.6	7.1	—	16.7	18.8	20.0	1.7	2.4	2.4	6.3	8.0	—	18.2	20.8	22.2
	1.5kW	2.2kW	2.2kW	5.6kW	8.0kW	—	1.5	2.2	2.2	5.6	8.0	—	17.5	15.7	16.8	1.7	2.4	2.4	6.3	9.0	—	19.0	21.8	23.2
	1.5kW	2.2kW	2.8kW	2.8kW	7.1kW	—	1.5	2.2	2.8	2.8	7.1	—	14.7	16.6	17.7	1.7	2.4	3.2	3.2	8.0	—	16.2	18.5	19.7
	1.5kW	2.2kW	2.8kW	2.8kW	8.0kW	—	1.5	2.2	2.8	2.8	8.0	—	15.5	16.5	17.7	1.7	2.4	3.2	3.2	9.0	—	17.0	19.5	20.7
	1.5kW	2.2kW	2.8kW	3.6kW	7.1kW	—	1.5	2.2	2.8	3.6	7.1	—	15.4	17.4	18.6	1.7	2.4	3.2	4.0	8.0	—	16.9	19.3	20.5
	1.5kW	2.2kW	2.8kW	3.6kW	8.0kW	—	1.5	2.2	2.8	3.6	8.0	—	16.2	17.4	18.6	1.7	2.4	3.2	4.0	9.0	—	17.7	20.3	21.5
	1.5kW	2.2kW	2.8kW	4.5kW	7.1kW	—	1.5	2.2	2.8	4.5	7.1	—	16.2	18.3	19.5	1.7	2.4	3.2	5.0	8.0	—	17.8	20.3	21.6
	1.5kW	2.2kW	2.8kW	4.5kW	8.0kW	—	1.5	2.2	2.8	4.5	8.0	—	17.0	18.5	19.8	1.7	2.4	3.2	5.0	9.0	—	18.6	21.3	22.6
	1.5kW	2.2kW	2.8kW	5.6kW	7.1kW	—	1.5	2.2	2.8	5.6	7.1	—	17.2	19.4	20.0	1.7	2.4	3.2	6.3	8.0	—	18.9	21.6	23.0
	1.5kW	2.2kW	2.8kW	5.6kW	8.0kW	—	1.5	2.2	2.8	5.6	8.0	—	18.0	17.3	18.6	1.7	2.4	3.2	6.3	9.0	—	19.7	22.6	23.5
	1.5kW	2.2kW	3.6kW	3.6kW	7.1kW	—	1.5	2.2	3.6	3.6	7.1	—	16.1	18.2	19.5	1.7	2.4	4.0	4.0	8.0	—	17.6	20.1	21.3
	1.5kW	2.2kW	3.6kW	3.6kW	8.0kW	—	1.5	2.2	3.6	3.6	8.0	—	16.9	18.2	19.5	1.7	2.4	4.0	4.0	9.0	—	18.4	21.1	22.3
	1.5kW	2.2kW	3.6kW	4.5kW	7.1kW	—	1.5	2.2	3.6	4.5	7.1	—	16.9	19.1	20.0	1.7	2.4	4.0	5.0	8.0	—	18.5	21.1	22.4
	1.5kW	2.2kW	3.6kW	4.5kW	8.0kW	—	1.5	2.2	3.6	4.5	8.0	—	17.7	19.3	20.0	1.7	2.4	4.0	5.0	9.0	—	19.3	22.1	23.4
	1.5kW	2.2kW	3.6kW	5.6kW	7.1kW	—	1.5	2.2	3.6	5.6	7.1	—	17.9	20.0	20.0	1.7	2.4	4.0	6.3	8.0	—	19.6	22.4	23.5
	1.5kW	2.2kW	3.6kW	5.6kW	8.0kW	—	1.4	2.1	3.4	5.4	7.7	—	18.7	19.1	20.0	1.7	2.4	4.0	6.3	9.0	—	20.4	23.4	23.5
	1.5kW	2.2kW	4.5kW	4.5kW	7.1kW	—	1.5	2.2	4.5	4.5	7.1	—	17.7	20.0	20.0	1.7	2.4	5.0	5.0	8.0	—	19.4	22.1	23.5
	1.5kW	2.2kW	4.5kW	4.5kW	8.0kW	—	1.4	2.1	4.3	4.3	7.7	—	18.5	20.0	20.0	1.7	2.4	5.0	5.0	9.0	—	20.2	23.1	23.5
	1.5kW	2.2kW	4.5kW	5.6kW	7.1kW	—	1.4	2.1	4.3	5.4	6.8	—	18.7	20.0	20.0	1.7	2.4	5.0	6.3	8.0	—	20.5	23.4	23.5
	1.5kW	2.2kW	4.5kW	5.6kW	8.0kW	—	1.4	2.0	4.1	5.1	7.3	—	19.5	20.0	20.0	1.6	2.3	4.8	6.1	8.7	—	21.3	23.5	23.5
	1.5kW	2.2kW	5.6kW	5.6kW	7.1kW	—	1.4	2.0	5.1	5.1	6.5	—	19.7	20.0	20.0	1.6	2.3	6.0	6.0	7.6	—	21.6	23.5	23.5
	1.5kW	2.2kW	5.6kW	5.6kW	8.0kW	—	1.3	1.9	4.9	4.9	7.0	—	20.0	15.2	16.4	1.6	2.2	5.8	5.8	8.2	—	22.4	23.5	23.5
	1.5kW	2.8kW	2.8kW	2.8kW	7.1kW	—	1.5	2.8	2.8	2.8	7.1	—	15.2	16.1	17.3	1.7	3.2	3.2	3.2	8.0	—	16.9	19.3	20.5
	1.5kW	2.8kW	2.8kW	2.8kW	8.0kW	—	1.5	2.8	2.8	2.8	8.0	—	16.0	15.8	17.0	1.7	3.2	3.2	3.2	9.0	—	17.7	20.3	21.5
	1.5kW	2.8kW	2.8kW	3.6kW	7.1kW	—	1.5	2.8	2.8	3.6	7.1	—	15.9	16.7	17.9	1.7	3.2	3.2	4.0	8.0	—	17.6	20.1	21.3
	1.5kW	2.8kW	2.8kW	3.6kW	8.0kW	—	1.5	2.8	2.8	3.6	8.0	—	16.7	16.6	17.9	1.7	3.2	3.2	4.0	9.0	—	18.4	21.1	22.3
	1.5kW	2.8kW	2.8kW	4.5kW	7.1kW	—	1.5	2.8	2.8	4.5	7.1	—	16.7	17.5	18.8	1.7	3.2	3.2	5.0	8.0	—	18.5	21.1	22.4
	1.5kW	2.8kW	2.8kW	4.5kW	8.0kW	—	1.5	2.8	2.8	4.5	8.0	—	17.5	17.5	18.8	1.7	3.2	3.2	5.0	9.0	—	19.3	22.1	23.4
	1.5kW	2.8kW	2.8kW	5.6kW	7.1kW	—	1.5	2.8	2.8	5.6	7.1	—	17.7	18.4	19.7	1.7	3.2	3.2	6.3	8.0	—	19.6	22.4	23.5
	1.5kW	2.8kW	2.8kW	5.6kW	8.0kW	—	1.4	2.7	2.7	5.4	7.7	—	18.5	18.6	20.0	1.7	3.2	3.2	6.3	9.0	—	20.4	23.4	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	7.1kW	—	1.5	2.8	3.6	3.6	7.1	—	16.6	19.5	20.0	1.7	3.2	4.0	4.0	8.0	—	18.3	20.9	22.1
	1.5kW	2.8kW	3.6kW	3.6kW	8.0kW	—	1.5	2.8	3.6	3.6	8.0	—	17.4	16.4	17.6	1.7	3.2	4.0	4.0	9.0	—	19.1	21.9	23.1
	1.5kW	2.8kW	3.6kW	4.5kW	7.1kW	—	1.5	2.8	3.6	4.5	7.1	—	17.4	17.3	18.5	1.7	3.2	4.0	5.0	8.0	—	19.2	21.9	23.2
	1.5kW	2.8kW	3.6kW	4.5kW	8.0kW	—	1.5	2.7	3.5	4.4	7.8	—	18.2	17.2	18.5	1.7	3.2	4.0	5.0	9.0	—	20.0	22.9	23.5
	1.5kW	2.8kW	3.6kW	5.6kW	7.1kW	—	1.5	2.7	3.5	5.4	6.9	—	18.4	18.1	19.4	1.7	3.2	4.0	6.3	8.0	—	20.3	23.2	23.5
	1.5kW	2.8kW	3.6kW	5.6kW	8.0kW	—	1.4	2.6	3.3	5.2	7.4	—	19.2	18.1	19.4	1.7	3.1	3.9	6.1	8.7	—	21.1	23.5	23.5
	1.5kW	2.8kW	4.5kW	4.5kW	7.1kW	—	1.5	2.7	4.4	4.4	7.0	—	18.2	19.0	20.0	1.7	3.2	5.0	5.0	8.0	—	20.1	22.9	23.5
	1.5kW	2.8kW	4.5kW	4.5kW	8.0kW	—	1.4	2.6	4.2	4.2	7.5	—	19.0	19.2	20.0	1.7	3.1	4.9	4.9	8.8	—	20.9	23.5	23.5
	1.5kW	2.8kW	4.5kW	5.6kW	7.1kW	—	1.4	2.6	4.2	5.2	6.6	—	19.2	20.0	20.0	1.7	3.1	4.9	6.1	7.8	—	21.2	23.5	23.5
	1.5kW	2.8kW	4.5kW	5.6kW	8.0kW	—	1.3	2.5	4.0	5.0	7.1	—	20.0	18.0	19.4	1.6	3.0	4.7	5.9	8.4	—	22.0	23.5	23.5
	1.5kW	2.8kW	5.6kW	5.6kW	7.1kW	—	1.3	2.5	5.0	5.0	6.3	—	20.0	18.9	20.0	1.6	2.9	5.8	5.8	7.4	—	22.3	23.5	23.5
	1.5kW	2.8kW	5.6kW	5.6kW	8.0kW	—	1.3	2.4	4.8	4.8	6.8	—	20.0	18.9	20.0	1.5	2.8	5.6	5.6	8.0	—	23.1	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	7.1kW	—	1.5	3.6	3.6	3.6	7.1	—	17.3	19.8	20.0	1.7	4.0	4.0	4.0	8.0	—	19.0	21.7	22.9
	1.5kW	3.6kW	3.6kW	3.6kW	8.0kW	—	1.5	3.5	3.5	3.5	7.9	—	18.1	20.0	20.0	1.7	4.0	4.0	4.0	9.0	—	19.8	22.7	23.5
	1.5kW	3.6kW	3.6kW	4.5kW	7.1kW	—	1.5	3.5	3.5	4.4	7.0	—	18.1	20.0	20.0	1.7	4.0	4.0	5.0	8.0	—	19.9	22.7	23.5
	1.5kW	3.6kW	3.6kW	4.5kW	8.0kW	—	1.4	3.4	3.4	4.2	7.5	—	18.9	19.8	20.0	1.7	4.0	4.0	5.0	8.9	—	20.7	23.5	23.5
	1.5kW	3.6kW	3.6kW	5.6kW	7.1kW	—	1.4	3.4	3.4	5.2	6.6	—	19.1	20.0	20.0	1.7	3.9	3.9	6.2	7.8	—	21.0	23.5	23.5
	1.5kW	3.6kW	3.6kW	5.6kW	8.0kW	—	1.3	3.2	3.2	5.0	7.2	—	19.9	20.0	20.0	1.6	3.8	3.8	5.9	8.5	—	21.8	23.5	23.5
	1.5kW	3.6kW	4.5kW	4.5kW	7.1kW	—	1.4	3.4	4.2	4.2	6.													

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
5 units	2.2kW	2.2kW	2.8kW	4.5kW	7.1kW	—	2.2	2.2	2.8	4.5	7.1	—	16.8	20.0	20.0	2.4	2.4	3.2	5.0	8.0	—	18.4	21.0	22.4
	2.2kW	2.2kW	2.8kW	4.5kW	8.0kW	—	2.2	2.2	2.8	4.5	8.0	—	17.6	20.0	20.0	2.4	2.4	3.2	5.0	9.0	—	19.2	22.0	23.4
	2.2kW	2.2kW	2.8kW	5.6kW	7.1kW	—	2.2	2.2	2.8	5.6	7.1	—	17.8	20.0	20.0	2.4	2.4	3.2	6.3	8.0	—	19.5	22.3	23.5
	2.2kW	2.2kW	2.8kW	5.6kW	8.0kW	—	2.1	2.1	2.7	5.4	7.7	—	18.6	20.0	20.0	2.4	2.4	3.2	6.3	9.0	—	20.3	23.3	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	7.1kW	—	2.2	2.2	3.6	3.6	7.1	—	16.7	20.0	20.0	2.4	2.4	4.0	4.0	8.0	—	18.2	20.8	22.1
	2.2kW	2.2kW	3.6kW	3.6kW	8.0kW	—	2.2	2.2	3.6	3.6	8.0	—	17.5	20.0	20.0	2.4	2.4	4.0	4.0	9.0	—	19.0	21.8	23.1
	2.2kW	2.2kW	3.6kW	4.5kW	7.1kW	—	2.2	2.2	3.6	4.5	7.1	—	17.5	20.0	20.0	2.4	2.4	4.0	5.0	8.0	—	19.1	21.8	23.2
	2.2kW	2.2kW	3.6kW	4.5kW	8.0kW	—	2.1	2.1	3.5	4.4	7.8	—	18.3	20.0	20.0	2.4	2.4	4.0	5.0	9.0	—	19.9	22.8	23.5
	2.2kW	2.2kW	3.6kW	5.6kW	7.1kW	—	2.1	2.1	3.5	5.4	6.9	—	18.5	20.0	20.0	2.4	2.4	4.0	6.3	8.0	—	20.2	23.1	23.5
	2.2kW	2.2kW	3.6kW	5.6kW	8.0kW	—	2.0	2.0	3.3	5.2	7.4	—	19.3	20.0	20.0	2.3	2.3	3.9	6.1	8.8	—	21.0	23.5	23.5
	2.2kW	2.2kW	4.5kW	4.5kW	7.1kW	—	2.1	2.1	4.4	4.4	6.9	—	18.3	20.0	20.0	2.4	2.4	5.0	5.0	8.0	—	20.0	22.8	23.5
	2.2kW	2.2kW	4.5kW	4.5kW	8.0kW	—	2.1	2.1	4.2	4.2	7.5	—	19.1	20.0	20.0	2.4	2.4	4.9	4.9	8.9	—	20.8	23.5	23.5
	2.2kW	2.2kW	4.5kW	5.6kW	7.1kW	—	2.0	2.0	4.2	5.2	6.6	—	19.3	20.0	20.0	2.3	2.3	4.9	6.1	7.8	—	21.1	23.5	23.5
	2.2kW	2.2kW	4.5kW	5.6kW	8.0kW	—	2.0	2.0	4.0	5.0	7.1	—	20.0	20.0	20.0	2.2	2.2	4.7	5.9	8.4	—	21.9	23.5	23.5
	2.2kW	2.2kW	5.6kW	5.6kW	7.1kW	—	1.9	1.9	4.9	4.9	6.3	—	20.0	20.0	20.0	2.2	2.2	5.8	5.8	7.4	—	22.2	23.5	23.5
	2.2kW	2.2kW	5.6kW	5.6kW	8.0kW	—	1.9	1.9	4.7	4.7	6.8	—	20.0	15.9	17.2	2.1	2.1	5.6	5.6	8.0	—	23.0	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	7.1kW	—	2.2	2.8	2.8	2.8	7.1	—	15.8	16.8	18.1	2.4	3.2	3.2	3.2	8.0	—	17.5	20.0	21.3
	2.2kW	2.8kW	2.8kW	2.8kW	8.0kW	—	2.2	2.8	2.8	2.8	8.0	—	16.6	16.5	17.8	2.4	3.2	3.2	3.2	9.0	—	18.3	21.0	22.3
	2.2kW	2.8kW	2.8kW	3.6kW	7.1kW	—	2.2	2.8	2.8	3.6	7.1	—	16.5	17.4	18.7	2.4	3.2	3.2	4.0	8.0	—	18.2	20.8	22.1
	2.2kW	2.8kW	2.8kW	3.6kW	8.0kW	—	2.2	2.8	2.8	3.6	8.0	—	17.3	17.3	18.7	2.4	3.2	3.2	4.0	9.0	—	19.0	21.8	23.1
	2.2kW	2.8kW	2.8kW	4.5kW	7.1kW	—	2.2	2.8	2.8	4.5	7.1	—	17.3	18.2	19.6	2.4	3.2	3.2	5.0	8.0	—	19.1	21.8	23.2
	2.2kW	2.8kW	2.8kW	4.5kW	8.0kW	—	2.2	2.8	2.8	4.4	7.9	—	18.1	18.2	19.6	2.4	3.2	3.2	5.0	9.0	—	19.9	22.8	23.5
	2.2kW	2.8kW	2.8kW	5.6kW	7.1kW	—	2.1	2.7	2.7	5.5	6.9	—	18.3	19.1	20.0	2.4	3.2	3.2	6.3	8.0	—	20.2	23.1	23.5
	2.2kW	2.8kW	2.8kW	5.6kW	8.0kW	—	2.1	2.6	2.6	5.2	7.5	—	19.1	19.3	20.0	2.3	3.1	3.1	6.1	8.8	—	21.0	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	7.1kW	—	2.2	2.8	3.6	3.6	7.1	—	17.2	20.0	20.0	2.4	3.2	4.0	4.0	8.0	—	18.9	21.6	22.9
	2.2kW	2.8kW	3.6kW	3.6kW	8.0kW	—	2.2	2.8	3.6	3.6	7.9	—	18.0	17.1	18.4	2.4	3.2	4.0	4.0	9.0	—	19.7	22.6	23.5
	2.2kW	2.8kW	3.6kW	4.5kW	7.1kW	—	2.2	2.8	3.6	4.5	7.0	—	18.0	18.0	19.3	2.4	3.2	4.0	5.0	8.0	—	19.8	22.6	23.5
	2.2kW	2.8kW	3.6kW	4.5kW	8.0kW	—	2.1	2.7	3.4	4.3	7.6	—	18.8	17.9	19.3	2.4	3.2	4.0	5.0	9.0	—	20.6	23.5	23.5
	2.2kW	2.8kW	3.6kW	5.6kW	7.1kW	—	2.1	2.6	3.4	5.3	6.7	—	19.0	18.8	20.0	2.4	3.1	3.9	6.2	7.9	—	20.9	23.5	23.5
	2.2kW	2.8kW	3.6kW	5.6kW	8.0kW	—	2.0	2.5	3.2	5.0	7.2	—	19.8	18.8	20.0	2.3	3.0	3.8	5.9	8.5	—	21.7	23.5	23.5
	2.2kW	2.8kW	4.5kW	4.5kW	7.1kW	—	2.1	2.7	4.3	4.3	6.7	—	18.8	19.7	20.0	2.4	3.2	5.0	5.0	8.0	—	20.7	23.5	23.5
	2.2kW	2.8kW	4.5kW	4.5kW	8.0kW	—	2.0	2.5	4.1	4.1	7.3	—	19.6	19.9	20.0	2.3	3.1	4.8	4.8	8.6	—	21.5	23.5	23.5
	2.2kW	2.8kW	4.5kW	5.6kW	7.1kW	—	2.0	2.5	4.1	5.0	6.4	—	19.8	20.0	20.0	2.3	3.0	4.7	5.9	7.6	—	21.8	23.5	23.5
	2.2kW	2.8kW	4.5kW	5.6kW	8.0kW	—	1.9	2.4	3.9	4.8	6.9	—	20.0	18.7	20.0	2.2	2.9	4.5	5.7	8.2	—	22.6	23.5	23.5
	2.2kW	2.8kW	5.6kW	5.6kW	7.1kW	—	1.9	2.4	4.8	4.8	6.1	—	20.0	19.6	20.0	2.2	2.9	5.7	5.7	7.2	—	22.9	23.5	23.5
	2.2kW	2.8kW	5.6kW	5.6kW	8.0kW	—	1.8	2.3	4.6	4.6	6.6	—	20.0	19.6	20.0	2.1	2.8	5.4	5.4	7.8	—	23.5	23.5	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	7.1kW	—	2.2	3.6	3.6	3.6	7.1	—	17.9	20.0	20.0	2.4	4.0	4.0	4.0	8.0	—	19.6	22.4	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	8.0kW	—	2.1	3.4	3.4	3.4	7.6	—	18.7	20.0	20.0	2.4	4.0	4.0	4.0	9.0	—	20.4	23.4	23.5
	2.2kW	3.6kW	3.6kW	4.5kW	7.1kW	—	2.1	3.4	3.4	4.3	6.8	—	18.7	20.0	20.0	2.4	4.0	4.0	5.0	8.0	—	20.5	23.4	23.5
	2.2kW	3.6kW	3.6kW	4.5kW	8.0kW	—	2.0	3.3	3.3	4.1	7.3	—	19.5	20.0	20.0	2.3	3.9	3.9	4.8	8.7	—	21.3	23.5	23.5
	2.2kW	3.6kW	3.6kW	5.6kW	7.1kW	—	2.0	3.3	3.3	5.1	6.4	—	19.7	20.0	20.0	2.3	3.8	3.8	6.0	7.6	—	21.6	23.5	23.5
	2.2kW	3.6kW	3.6kW	5.6kW	8.0kW	—	1.9	3.1	3.1	4.9	7.0	—	20.0	20.0	20.0	2.2	3.7	3.7	5.8	8.2	—	22.4	23.5	23.5
	2.2kW	3.6kW	4.5kW	4.5kW	7.1kW	—	2.0	3.3	4.1	4.1	6.5	—	19.5	20.0	20.0	2.3	3.9	4.8	4.8	7.7	—	21.4	23.5	23.5
	2.2kW	3.6kW	4.5kW	4.5kW	8.0kW	—	1.9	3.2	3.9	3.9	7.0	—	20.0	20.0	20.0	2.2	3.7	4.6	4.6	8.3	—	22.2	23.5	23.5
	2.2kW	3.6kW	4.5kW	5.6kW	7.1kW	—	1.9	3.1	3.9	4.9	6.2	—	20.0	20.0	20.0	2.2	3.7	4.6	5.8	7.3	—	22.5	23.5	23.5
	2.2kW	3.6kW	4.5kW	5.6kW	8.0kW	—	1.8	3.0	3.8	4.7	6.7	—	20.0	17.7	19.0	2.1	3.5	4.4	5.5	7.9	—	23.3	23.5	23.5
	2.2kW	3.6kW	5.6kW	5.6kW	7.1kW	—	1.8	3.0	4.6	4.6	5.9	—	20.0	18.6	19.9	2.1	3.5	5.5	5.5	7.0	—	23.5	23.5	23.5
	2.2kW	3.6kW	5.6kW	5.6kW	8.0kW	—	1.8	2.9	4.5	4.5	6.4	—	20.0	18.5	19.9	2.0	3.4	5.3	5.3	7.6	—	23.5	23.5	23.5
	2.2kW	4.5kW	4.5kW	4.5kW	7.1kW	—	1.9	3.9	3.9	3.9	6.2	—	20.0	19.4	20.0	2.2	4.6	4.6	4.6	7.4	—	22.3	23.5	23.5
	2.2kW	4.5kW	4.5kW	4.5kW																				

	Indoor Unit Combinations						Cooling									Heating									
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)			
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	
5 units	2.8kW	3.6kW	3.6kW	3.6kW	7.1kW	—	2.7	3.5	3.5	3.5	6.9	—	18.4	20.0	20.0	3.2	4.0	4.0	4.0	8.0	—	20.3	23.2	23.5	
	2.8kW	3.6kW	3.6kW	3.6kW	8.0kW	—	2.6	3.3	3.3	3.3	7.4	—	19.2	20.0	20.0	3.1	3.9	3.9	3.9	8.7	—	21.1	23.5	23.5	
	2.8kW	3.6kW	3.6kW	4.5kW	7.1kW	—	2.6	3.3	3.3	4.2	6.6	—	19.2	20.0	20.0	3.1	3.9	3.9	4.9	7.8	—	21.2	23.5	23.5	
	2.8kW	3.6kW	3.6kW	4.5kW	8.0kW	—	2.5	3.2	3.2	4.0	7.1	—	20.0	20.0	20.0	3.0	3.7	3.7	4.7	8.4	—	22.0	23.5	23.5	
	2.8kW	3.6kW	3.6kW	5.6kW	7.1kW	—	2.5	3.2	3.2	4.9	6.3	—	20.0	20.0	20.0	2.9	3.7	3.7	5.8	7.4	—	22.3	23.5	23.5	
	2.8kW	3.6kW	3.6kW	5.6kW	8.0kW	—	2.4	3.1	3.1	4.7	6.8	—	20.0	20.0	20.0	2.8	3.5	3.5	5.6	8.0	—	23.1	23.5	23.5	
	2.8kW	3.6kW	4.5kW	4.5kW	7.1kW	—	2.5	3.2	4.0	4.0	6.3	—	20.0	20.0	20.0	3.0	3.7	4.7	4.7	7.5	—	22.1	23.5	23.5	
	2.8kW	3.6kW	4.5kW	4.5kW	8.0kW	—	2.4	3.1	3.8	3.8	6.8	—	20.0	20.0	20.0	2.9	3.6	4.5	4.5	8.1	—	22.9	23.5	23.5	
	2.8kW	3.6kW	4.5kW	5.6kW	7.1kW	—	2.4	3.1	3.8	4.7	6.0	—	20.0	20.0	20.0	2.8	3.5	4.4	5.6	7.1	—	23.2	23.5	23.5	
	2.8kW	3.6kW	4.5kW	5.6kW	8.0kW	—	2.3	2.9	3.7	4.6	6.5	—	20.0	18.3	19.6	2.7	3.4	4.3	5.4	7.7	—	23.5	23.5	23.5	
	2.8kW	3.6kW	5.6kW	5.6kW	7.1kW	—	2.3	2.9	4.5	4.5	5.7	—	20.0	19.2	20.0	2.7	3.4	5.3	5.3	6.8	—	23.5	23.5	23.5	
	2.8kW	3.6kW	5.6kW	5.6kW	8.0kW	—	2.2	2.8	4.4	4.4	6.3	—	20.0	19.1	20.0	2.6	3.3	5.1	5.1	7.3	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	4.5kW	7.1kW	—	2.4	3.8	3.8	3.8	6.1	—	20.0	20.0	20.0	2.9	4.5	4.5	4.5	7.2	—	23.0	23.5	23.5	
	2.8kW	4.5kW	4.5kW	4.5kW	8.0kW	—	2.3	3.7	3.7	3.7	6.6	—	20.0	20.0	20.0	2.8	4.3	4.3	4.3	7.8	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	5.6kW	7.1kW	—	2.3	3.7	3.7	4.6	5.8	—	20.0	20.0	20.0	2.7	4.3	4.3	5.4	6.8	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	5.6kW	8.0kW	—	2.2	3.5	3.5	4.4	6.3	—	20.0	20.0	20.0	2.6	4.1	4.1	5.2	7.4	—	23.5	23.5	23.5	
	3.6kW	3.6kW	3.6kW	3.6kW	7.1kW	—	3.3	3.3	3.3	3.3	6.6	—	19.1	20.0	20.0	3.9	3.9	3.9	3.9	7.8	—	21.0	23.5	23.5	
	3.6kW	3.6kW	3.6kW	3.6kW	8.0kW	—	3.2	3.2	3.2	3.2	7.1	—	19.9	19.9	20.0	3.8	3.8	3.8	3.8	8.5	—	21.8	23.5	23.5	
	2.8kW	3.6kW	3.6kW	4.5kW	7.1kW	—	2.6	3.3	3.3	4.2	6.6	—	19.2	20.0	20.0	3.1	3.9	3.9	4.9	7.8	—	21.2	23.5	23.5	
	2.8kW	3.6kW	3.6kW	4.5kW	8.0kW	—	2.5	3.2	3.2	4.0	7.1	—	20.0	20.0	20.0	3.0	3.7	3.7	4.7	8.4	—	22.0	23.5	23.5	
	2.8kW	3.6kW	3.6kW	5.6kW	7.1kW	—	2.5	3.2	3.2	4.9	6.3	—	20.0	20.0	20.0	2.9	3.7	3.7	5.8	7.4	—	22.3	23.5	23.5	
	2.8kW	3.6kW	3.6kW	5.6kW	8.0kW	—	2.4	3.1	3.1	4.7	6.8	—	20.0	20.0	20.0	2.8	3.5	3.5	5.6	8.0	—	23.1	23.5	23.5	
	2.8kW	3.6kW	3.6kW	4.5kW	4.5kW	7.1kW	—	2.5	3.2	4.0	4.0	6.3	—	20.0	20.0	20.0	3.0	3.7	4.7	4.7	7.5	—	22.1	23.5	23.5
	2.8kW	3.6kW	3.6kW	4.5kW	8.0kW	—	2.4	3.1	3.8	3.8	6.8	—	20.0	20.0	20.0	2.9	3.6	4.5	4.5	8.1	—	22.9	23.5	23.5	
	2.8kW	3.6kW	4.5kW	5.6kW	7.1kW	—	2.4	3.1	3.8	4.7	6.0	—	20.0	20.0	20.0	2.8	3.5	4.4	5.6	7.1	—	23.2	23.5	23.5	
	2.8kW	3.6kW	4.5kW	5.6kW	8.0kW	—	2.3	2.9	3.7	4.6	6.5	—	20.0	20.0	20.0	2.7	3.4	4.3	5.4	7.7	—	23.5	23.5	23.5	
	2.8kW	3.6kW	5.6kW	5.6kW	7.1kW	—	2.3	2.9	4.5	4.5	5.7	—	20.0	20.0	20.0	2.7	3.4	5.3	5.3	6.8	—	23.5	23.5	23.5	
	2.8kW	3.6kW	5.6kW	5.6kW	8.0kW	—	2.2	2.8	4.4	4.4	6.3	—	20.0	20.0	20.0	2.6	3.3	5.1	5.1	7.3	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	4.5kW	7.1kW	—	2.4	3.8	3.8	3.8	6.1	—	20.0	20.0	20.0	2.9	4.5	4.5	4.5	7.2	—	23.0	23.5	23.5	
	2.8kW	4.5kW	4.5kW	4.5kW	8.0kW	—	2.3	3.7	3.7	3.7	6.6	—	20.0	20.0	20.0	2.8	4.3	4.3	4.3	7.8	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	5.6kW	7.1kW	—	2.3	3.7	3.7	4.6	5.8	—	20.0	20.0	20.0	2.7	4.3	4.3	5.4	6.8	—	23.5	23.5	23.5	
	2.8kW	4.5kW	4.5kW	5.6kW	8.0kW	—	2.2	3.5	3.5	4.4	6.3	—	20.0	20.0	20.0	2.6	4.1	4.1	5.2	7.4	—	23.5	23.5	23.5	
	3.6kW	3.6kW	3.6kW	3.6kW	7.1kW	—	3.3	3.3	3.3	3.3	6.6	—	19.1	20.0	20.0	3.9	3.9	3.9	3.9	7.8	—	21.0	23.5	23.5	
	3.6kW	3.6kW	3.6kW	3.6kW	8.0kW	—	3.2	3.2	3.2	3.2	7.1	—	19.9	20.0	20.0	3.8	3.8	3.8	3.8	8.5	—	21.8	23.5	23.5	
	3.6kW	3.6kW	3.6kW	4.5kW	7.1kW	—	3.2	3.2	3.2	4.0	6.3	—	19.9	20.0	20.0	3.8	3.8	3.8	4.7	7.5	—	21.9	23.5	23.5	
	3.6kW	3.6kW	3.6kW	4.5kW	8.0kW	—	3.1	3.1	3.1	3.9	6.9	—	20.0	20.0	20.0	3.6	3.6	3.6	4.5	8.1	—	22.7	23.5	23.5	
	3.6kW	3.6kW	3.6kW	5.6kW	7.1kW	—	3.1	3.1	3.1	4.8	6.0	—	20.0	20.0	20.0	3.6	3.6	3.6	5.6	7.1	—	23.0	23.5	23.5	
	3.6kW	3.6kW	3.6kW	5.6kW	8.0kW	—	3.0	3.0	3.0	4.6	6.6	—	20.0	20.0	20.0	3.4	3.4	3.4	5.4	7.7	—	23.5	23.5	23.5	
	3.6kW	3.6kW	4.5kW	4.5kW	7.1kW	—	3.1	3.1	3.9	3.9	6.1	—	20.0	20.0	20.0	3.6	3.6	4.5	4.5	7.2	—	22.8	23.5	23.5	
	3.6kW	3.6kW	4.5kW	4.5kW	8.0kW	—	3.0	3.0	3.7	3.7	6.6	—	20.0	20.0	20.0	3.5	3.5	4.4	4.4	7.8	—	23.5	23.5	23.5	
	3.6kW	3.6kW	4.5kW	5.6kW	7.1kW	—	3.0	3.0	3.7	4.6	5.8	—	20.0	20.0	20.0	3.4	3.4	4.3	5.4	6.9	—	23.5	23.5	23.5	
	3.6kW	3.6kW	4.5kW	5.6kW	8.0kW	—	2.8	2.8	3.6	4.4	6.3	—	20.0	20.0	20.0	3.3	3.3	4.2	5.2	7.5	—	23.5	23.5	23.5	
	3.6kW	4.5kW	4.5kW	4.5kW	7.1kW	—	3.0	3.7	3.7	3.7	5.9	—	20.0	20.0	20.0	3.5	4.4	4.4	4.4	7.0	—	23.5	23.5	23.5	
	3.6kW	4.5kW	4.5kW	4.5kW	8.0kW	—	2.9	3.6	3.6	3.6	6.4	—	20.0	20.0	20.0	3.4	4.2	4.2	4.2	7.6	—	23.5	23.5	23.5	
	4.5kW	4.5kW	4.5kW	4.5kW	7.1kW	—	3.6	3.6	3.6	3.6	5.7	—	20.0	20.0	20.0	4.2	4.2	4.2	4.2	6.7	—	23.5	23.5	23.5	
	4.5kW	4.5kW	4.5kW	4.5kW	8.0kW	—	3.5	3.5	3.5	3.5	6.2	—	20.0	20.0	20.0	4.1	4.1	4.1	4.1	7.3	—	23.5	23.5	23.5	
6 units	1.5kW	1.5kW	1.5kW	1.5kW	1.5kW	7.1kW	1.5	1.5	1.5	1.5	1.5	7.1	13.3	20.0	20.0	1.7	1.7	1.7	1.7	1.7	8.0	14.5	16.5	17.5	
	1.5kW	1.5kW	1.5kW	1.5kW	1.5kW	8.0kW	1.5	1.5	1.5	1.5	1.5	8.0	14.1	20.0	20.0	1.7	1.7	1.7	1.7	1.7	9.0	15.3	17.5	18.5	
	1.5kW	1.5kW	1.5kW	1.5kW	2.2kW	7.1kW	1.5	1.5	1.5	1.5	2.2	7.1	13.9	20.0	20.0	1.7	1.7	1.7	1.7	1.7	2.4	8.0	15.		

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
6 units	1.5kW	1.5kW	1.5kW	2.8kW	4.5kW	7.1kW	1.5	1.5	1.5	2.8	4.5	7.1	17.0	20.0	20.0	1.7	1.7	1.7	3.2	5.0	8.0	18.7	21.3	22.6
	1.5kW	1.5kW	1.5kW	2.8kW	4.5kW	8.0kW	1.5	1.5	1.5	2.8	4.5	8.0	17.8	14.6	15.6	1.7	1.7	1.7	3.2	5.0	9.0	19.5	22.3	23.5
	1.5kW	1.5kW	1.5kW	2.8kW	5.6kW	7.1kW	1.5	1.5	1.5	2.8	5.6	7.1	18.0	15.5	16.5	1.7	1.7	1.7	3.2	6.3	8.0	19.8	22.6	23.5
	1.5kW	1.5kW	1.5kW	2.8kW	5.6kW	8.0kW	1.4	1.4	1.4	2.7	5.4	7.7	18.8	15.3	16.4	1.7	1.7	1.7	3.2	6.3	9.0	20.6	23.5	23.5
	1.5kW	1.5kW	1.5kW	3.6kW	3.6kW	7.1kW	1.5	1.5	1.5	3.6	3.6	7.1	16.9	16.2	17.3	1.7	1.7	1.7	4.0	4.0	8.0	18.5	21.1	22.3
	1.5kW	1.5kW	1.5kW	3.6kW	3.6kW	8.0kW	1.5	1.5	1.5	3.6	3.6	8.0	17.7	15.9	17.0	1.7	1.7	1.7	4.0	4.0	9.0	19.3	22.1	23.3
	1.5kW	1.5kW	1.5kW	3.6kW	4.5kW	7.1kW	1.5	1.5	1.5	3.6	4.5	7.1	17.7	16.8	17.9	1.7	1.7	1.7	4.0	5.0	8.0	19.4	22.1	23.4
	1.5kW	1.5kW	1.5kW	3.6kW	4.5kW	8.0kW	1.5	1.5	1.5	3.5	4.4	7.8	18.5	16.7	17.9	1.7	1.7	1.7	4.0	5.0	9.0	20.2	23.1	23.5
	1.5kW	1.5kW	1.5kW	3.6kW	5.6kW	7.1kW	1.4	1.4	1.4	3.5	5.4	6.8	18.7	17.6	18.8	1.7	1.7	1.7	4.0	6.3	8.0	20.5	23.4	23.5
	1.5kW	1.5kW	1.5kW	3.6kW	5.6kW	8.0kW	1.4	1.4	1.4	3.3	5.2	7.4	19.5	17.6	18.8	1.6	1.6	1.6	3.9	6.1	8.7	21.3	23.5	23.5
	1.5kW	1.5kW	1.5kW	4.5kW	4.5kW	7.1kW	1.5	1.5	1.5	4.4	4.4	6.9	18.5	18.5	19.7	1.7	1.7	1.7	5.0	5.0	8.0	20.3	23.1	23.5
	1.5kW	1.5kW	1.5kW	4.5kW	4.5kW	8.0kW	1.4	1.4	1.4	4.2	4.2	7.4	19.3	18.7	20.0	1.7	1.7	1.7	4.9	4.9	8.8	21.1	23.5	23.5
	1.5kW	1.5kW	1.5kW	4.5kW	5.6kW	7.1kW	1.4	1.4	1.4	4.1	5.2	6.5	19.5	19.6	20.0	1.6	1.6	1.6	4.8	6.1	7.7	21.4	23.5	23.5
	1.5kW	1.5kW	1.5kW	4.5kW	5.6kW	8.0kW	1.3	1.3	1.3	4.0	5.0	7.1	20.0	16.0	17.2	1.6	1.6	1.6	4.6	5.8	8.3	22.2	23.5	23.5
	1.5kW	1.5kW	1.5kW	5.6kW	5.6kW	7.1kW	1.3	1.3	1.3	4.9	4.9	6.2	20.0	16.9	18.1	1.6	1.6	1.6	5.8	5.8	7.3	22.5	23.5	23.5
	1.5kW	1.5kW	1.5kW	5.6kW	5.6kW	8.0kW	1.3	1.3	1.3	4.7	4.7	6.8	20.0	16.0	17.2	1.5	1.5	1.5	5.5	5.5	7.9	23.3	23.5	23.5
	1.5kW	1.5kW	2.2kW	2.2kW	2.8kW	7.1kW	1.5	1.5	2.2	2.2	2.8	7.1	15.6	16.9	18.1	1.7	1.7	2.4	2.4	3.2	8.0	17.0	19.4	20.7
	1.5kW	1.5kW	2.2kW	2.2kW	2.8kW	8.0kW	1.5	1.5	2.2	2.2	2.8	8.0	16.4	16.6	17.8	1.7	1.7	2.4	2.4	3.2	9.0	17.8	20.4	21.7
	1.5kW	1.5kW	2.2kW	2.2kW	3.6kW	7.1kW	1.5	1.5	2.2	2.2	3.6	7.1	16.3	17.5	18.7	1.7	1.7	2.4	2.4	4.0	8.0	17.7	20.2	21.5
	1.5kW	1.5kW	2.2kW	2.2kW	3.6kW	8.0kW	1.5	1.5	2.2	2.2	3.6	8.0	17.1	17.4	18.7	1.7	1.7	2.4	2.4	4.0	9.0	18.5	21.2	22.5
	1.5kW	1.5kW	2.2kW	2.2kW	4.5kW	7.1kW	1.5	1.5	2.2	2.2	4.5	7.1	17.1	18.3	19.6	1.7	1.7	2.4	2.4	5.0	8.0	18.6	21.2	22.6
	1.5kW	1.5kW	2.2kW	2.2kW	4.5kW	8.0kW	1.5	1.5	2.2	2.2	4.5	8.0	17.9	18.3	19.6	1.7	1.7	2.4	2.4	5.0	9.0	19.4	22.2	23.5
	1.5kW	1.5kW	2.2kW	2.2kW	5.6kW	7.1kW	1.5	1.5	2.2	2.2	5.6	7.1	18.1	19.2	20.0	1.7	1.7	2.4	2.4	6.3	8.0	19.7	22.5	23.5
	1.5kW	1.5kW	2.2kW	2.2kW	5.6kW	8.0kW	1.4	1.4	2.1	2.1	5.3	7.6	18.9	19.4	20.0	1.7	1.7	2.4	2.4	6.3	9.0	20.5	23.5	23.5
	1.5kW	1.5kW	2.2kW	2.8kW	2.8kW	7.1kW	1.5	1.5	2.2	2.8	2.8	7.1	16.1	20.0	20.0	1.7	1.7	2.4	3.2	3.2	8.0	17.7	20.2	21.5
	1.5kW	1.5kW	2.2kW	2.8kW	2.8kW	8.0kW	1.5	1.5	2.2	2.8	2.8	8.0	16.9	17.2	18.4	1.7	1.7	2.4	3.2	3.2	9.0	18.5	21.2	22.5
	1.5kW	1.5kW	2.2kW	2.8kW	3.6kW	7.1kW	1.5	1.5	2.2	2.8	3.6	7.1	16.8	18.1	19.3	1.7	1.7	2.4	3.2	4.0	8.0	18.4	21.0	22.3
	1.5kW	1.5kW	2.2kW	2.8kW	3.6kW	8.0kW	1.5	1.5	2.2	2.8	3.6	8.0	17.6	18.0	19.3	1.7	1.7	2.4	3.2	4.0	9.0	19.2	22.0	23.3
	1.5kW	1.5kW	2.2kW	2.8kW	4.5kW	7.1kW	1.5	1.5	2.2	2.8	4.5	7.1	17.6	18.9	20.0	1.7	1.7	2.4	3.2	5.0	8.0	19.3	22.0	23.4
	1.5kW	1.5kW	2.2kW	2.8kW	4.5kW	8.0kW	1.5	1.5	2.1	2.7	4.4	7.8	18.4	18.9	20.0	1.7	1.7	2.4	3.2	5.0	9.0	20.1	23.0	23.5
	1.5kW	1.5kW	2.2kW	2.8kW	5.6kW	7.1kW	1.4	1.4	2.1	2.7	5.4	6.9	18.6	19.8	20.0	1.7	1.7	2.4	3.2	6.3	8.0	20.4	23.3	23.5
	1.5kW	1.5kW	2.2kW	2.8kW	5.6kW	8.0kW	1.4	1.4	2.0	2.6	5.2	7.4	19.4	20.0	20.0	1.6	1.6	2.3	3.1	6.1	8.7	21.2	23.5	23.5
	1.5kW	1.5kW	2.2kW	3.6kW	3.6kW	7.1kW	1.5	1.5	2.2	3.6	3.6	7.1	17.5	20.0	20.0	1.7	1.7	2.4	4.0	4.0	8.0	19.1	21.8	23.1
	1.5kW	1.5kW	2.2kW	3.6kW	3.6kW	8.0kW	1.5	1.5	2.2	3.5	3.5	7.8	18.3	18.8	20.0	1.7	1.7	2.4	4.0	4.0	9.0	19.9	22.8	23.5
	1.5kW	1.5kW	2.2kW	3.6kW	4.5kW	7.1kW	1.5	1.5	2.2	3.5	4.4	7.0	18.3	19.7	20.0	1.7	1.7	2.4	4.0	5.0	8.0	20.0	22.8	23.5
	1.5kW	1.5kW	2.2kW	3.6kW	4.5kW	8.0kW	1.4	1.4	2.1	3.4	4.2	7.5	19.1	19.7	20.0	1.7	1.7	2.4	3.9	4.9	8.9	20.8	23.5	23.5
	1.5kW	1.5kW	2.2kW	3.6kW	5.6kW	7.1kW	1.4	1.4	2.0	3.3	5.2	6.6	19.3	20.0	20.0	1.7	1.7	2.3	3.9	6.1	7.8	21.1	23.5	23.5
	1.5kW	1.5kW	2.2kW	3.6kW	5.6kW	8.0kW	1.3	1.3	2.0	3.2	5.0	7.1	20.0	20.0	20.0	1.6	1.6	2.2	3.7	5.9	8.4	21.9	23.5	23.5
	1.5kW	1.5kW	2.2kW	4.5kW	4.5kW	7.1kW	1.4	1.4	2.1	4.2	4.2	6.7	19.1	20.0	20.0	1.7	1.7	2.4	4.9	4.9	7.9	20.9	23.5	23.5
	1.5kW	1.5kW	2.2kW	4.5kW	4.5kW	8.0kW	1.4	1.4	2.0	4.1	4.1	7.2	19.9	20.0	20.0	1.6	1.6	2.3	4.7	4.7	8.5	21.7	23.5	23.5
	1.5kW	1.5kW	2.2kW	4.5kW	5.6kW	7.1kW	1.3	1.3	2.0	4.0	5.0	6.3	20.0	20.0	20.0	1.6	1.6	2.2	4.7	5.9	7.5	22.0	23.5	23.5
	1.5kW	1.5kW	2.2kW	4.5kW	5.6kW	8.0kW	1.3	1.3	1.9	3.9	4.8	6.9	20.0	20.0	20.0	1.5	1.5	2.2	4.5	5.7	8.1	22.8	23.5	23.5
	1.5kW	1.5kW	2.2kW	5.6kW	5.6kW	7.1kW	1.3	1.3	1.9	4.8	4.8	6.0	20.0	20.0	20.0	1.5	1.5	2.1	5.6	5.6	7.1	23.1	23.5	23.5
	1.5kW	1.5kW	2.2kW	5.6kW	5.6kW	8.0kW	1.2	1.2	1.8	4.6	4.6	6.6	20.0	20.0	20.0	1.5	1.5	2.1	5.4	5.4	7.7	23.5	23.5	23.5
	1.5kW	1.5kW	2.8kW	2.8kW	2.8kW	7.1kW	1.5	1.5	2.8	2.8	2.8	7.1	16.6	20.0	20.0	1.7	1.7	3.2	3.2	3.2	8.0	18.4	21.0	22.3
	1.5kW	1.5kW	2.8kW	2.8kW	2.8kW	8.0kW	1.5	1.5	2.8	2.8	2.8	8.0	17.4	17.3	18.6	1.7	1.7	3.2	3.2	3.2	9.0	19.2	22.0	23.3
	1.5kW	1.5kW	2.8kW	2.8kW	3.6kW	7.1kW	1.5	1.5	2.8	2.8	3.6	7.1	17.3	18.2	19.5	1.7	1.7	3.2	3.2	4.0	8.0	19.1	21.8	23.1
	1.5kW	1.5kW	2.8kW																					

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
6 units	1.5kW	1.5kW	3.6kW	4.5kW	5.6kW	7.1kW	1.3	1.3	3.0	3.8	4.7	6.0	20.0	19.4	20.0	1.5	1.5	3.5	4.4	5.5	7.0	23.4	23.5	23.5
	1.5kW	1.5kW	3.6kW	4.5kW	5.6kW	8.0kW	1.2	1.2	2.9	3.6	4.5	6.5	20.0	19.3	20.0	1.4	1.4	3.4	4.2	5.3	7.6	23.5	23.5	23.5
	1.5kW	1.5kW	3.6kW	5.6kW	5.6kW	7.1kW	1.2	1.2	2.9	4.5	4.5	5.7	20.0	20.0	20.0	1.4	1.4	3.4	5.3	5.3	6.7	23.5	23.5	23.5
	1.5kW	1.5kW	3.6kW	5.6kW	5.6kW	8.0kW	1.2	1.2	2.8	4.3	4.3	6.2	20.0	20.0	20.0	1.4	1.4	3.2	5.1	5.1	7.3	23.5	23.5	23.5
	1.5kW	1.5kW	4.5kW	4.5kW	4.5kW	7.1kW	1.3	1.3	3.8	3.8	3.8	6.0	20.0	20.0	20.0	1.5	1.5	4.5	4.5	4.5	7.1	23.2	23.5	23.5
	1.5kW	1.5kW	4.5kW	4.5kW	4.5kW	8.0kW	1.2	1.2	3.7	3.7	3.7	6.5	20.0	20.0	20.0	1.5	1.5	4.3	4.3	4.3	7.7	23.5	23.5	23.5
	1.5kW	1.5kW	4.5kW	4.5kW	5.6kW	7.1kW	1.2	1.2	3.6	3.6	4.5	5.7	20.0	20.0	20.0	1.4	1.4	4.2	4.2	5.3	6.8	23.5	23.5	23.5
	1.5kW	1.5kW	4.5kW	4.5kW	5.6kW	8.0kW	1.2	1.2	3.5	3.5	4.4	6.3	20.0	20.0	20.0	1.4	1.4	4.1	4.1	5.2	7.4	23.5	23.5	23.5
	1.5kW	2.2kW	2.2kW	2.2kW	2.2kW	7.1kW	1.5	2.2	2.2	2.2	2.2	7.1	15.7	20.0	20.0	1.7	2.4	2.4	2.4	2.4	8.0	16.9	19.3	20.7
	1.5kW	2.2kW	2.2kW	2.2kW	2.2kW	8.0kW	1.5	2.2	2.2	2.2	2.2	8.0	16.5	20.0	20.0	1.7	2.4	2.4	2.4	2.4	9.0	17.7	20.3	21.7
	1.5kW	2.2kW	2.2kW	2.2kW	2.8kW	7.1kW	1.5	2.2	2.2	2.2	2.8	7.1	16.2	20.0	20.0	1.7	2.4	2.4	2.4	3.2	8.0	17.6	20.1	21.5
	1.5kW	2.2kW	2.2kW	2.2kW	2.8kW	8.0kW	1.5	2.2	2.2	2.2	2.8	8.0	17.0	20.0	20.0	1.7	2.4	2.4	2.4	3.2	9.0	18.4	21.1	22.5
	1.5kW	2.2kW	2.2kW	2.2kW	3.6kW	7.1kW	1.5	2.2	2.2	2.2	3.6	7.1	16.9	20.0	20.0	1.7	2.4	2.4	2.4	4.0	8.0	18.3	20.9	22.3
	1.5kW	2.2kW	2.2kW	2.2kW	3.6kW	8.0kW	1.5	2.2	2.2	2.2	3.6	8.0	17.7	20.0	20.0	1.7	2.4	2.4	2.4	4.0	9.0	19.1	21.9	23.3
	1.5kW	2.2kW	2.2kW	2.2kW	4.5kW	7.1kW	1.5	2.2	2.2	2.2	4.5	7.1	17.7	20.0	20.0	1.7	2.4	2.4	2.4	5.0	8.0	19.2	21.9	23.4
	1.5kW	2.2kW	2.2kW	2.2kW	4.5kW	8.0kW	1.5	2.1	2.1	2.1	4.4	7.8	18.5	20.0	20.0	1.7	2.4	2.4	2.4	5.0	9.0	20.0	22.9	23.5
	1.5kW	2.2kW	2.2kW	2.2kW	5.6kW	7.1kW	1.4	2.1	2.1	2.1	5.4	6.8	18.7	20.0	20.0	1.7	2.4	2.4	2.4	6.3	8.0	20.3	23.2	23.5
	1.5kW	2.2kW	2.2kW	2.2kW	5.6kW	8.0kW	1.4	2.0	2.0	2.0	5.2	7.4	19.5	20.0	20.0	1.7	2.3	2.3	2.3	6.1	8.7	21.1	23.5	23.5
	1.5kW	2.2kW	2.2kW	2.8kW	2.8kW	7.1kW	1.5	2.2	2.2	2.8	2.8	7.1	16.7	20.0	20.0	1.7	2.4	2.4	3.2	3.2	8.0	18.3	20.9	22.3
	1.5kW	2.2kW	2.2kW	2.8kW	2.8kW	8.0kW	1.5	2.2	2.2	2.8	2.8	8.0	17.5	20.0	20.0	1.7	2.4	2.4	3.2	3.2	9.0	19.1	21.9	23.3
	1.5kW	2.2kW	2.2kW	2.8kW	3.6kW	7.1kW	1.5	2.2	2.2	2.8	3.6	7.1	17.4	20.0	20.0	1.7	2.4	2.4	3.2	4.0	8.0	19.0	21.7	23.1
	1.5kW	2.2kW	2.2kW	2.8kW	3.6kW	8.0kW	1.5	2.2	2.2	2.8	3.5	7.9	18.2	20.0	20.0	1.7	2.4	2.4	3.2	4.0	9.0	19.8	22.7	23.5
	1.5kW	2.2kW	2.2kW	2.8kW	4.5kW	7.1kW	1.5	2.2	2.2	2.8	4.4	7.0	18.2	20.0	20.0	1.7	2.4	2.4	3.2	5.0	8.0	19.9	22.7	23.5
	1.5kW	2.2kW	2.2kW	2.8kW	4.5kW	8.0kW	1.4	2.1	2.1	2.6	4.2	7.5	19.0	20.0	20.0	1.7	2.4	2.4	3.2	5.0	8.9	20.7	23.5	23.5
	1.5kW	2.2kW	2.2kW	2.8kW	5.6kW	7.1kW	1.4	2.1	2.1	2.6	5.2	6.6	19.2	20.0	20.0	1.7	2.4	2.4	3.1	6.2	7.8	21.0	23.5	23.5
	1.5kW	2.2kW	2.2kW	2.8kW	5.6kW	8.0kW	1.3	2.0	2.0	2.5	5.0	7.2	20.0	20.0	20.0	1.6	2.3	2.3	3.0	5.9	8.5	21.8	23.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	3.6kW	7.1kW	1.5	2.2	2.2	3.6	3.6	7.0	18.1	20.0	20.0	1.7	2.4	2.4	4.0	4.0	8.0	19.7	22.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	3.6kW	8.0kW	1.4	2.1	2.1	3.4	3.4	7.6	18.9	20.0	20.0	1.7	2.4	2.4	4.0	4.0	9.0	20.5	23.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	4.5kW	7.1kW	1.4	2.1	2.1	3.4	4.3	6.7	18.9	20.0	20.0	1.7	2.4	2.4	4.0	5.0	8.0	20.6	23.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	4.5kW	8.0kW	1.4	2.0	2.0	3.3	4.1	7.3	19.7	20.0	20.0	1.6	2.3	2.3	3.8	4.8	8.6	21.4	23.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	5.6kW	7.1kW	1.4	2.0	2.0	3.2	5.0	6.4	19.9	20.0	20.0	1.6	2.3	2.3	3.8	6.0	7.6	21.7	23.5	23.5
	1.5kW	2.2kW	2.2kW	3.6kW	5.6kW	8.0kW	1.3	1.9	1.9	3.1	4.8	6.9	20.0	20.0	20.0	1.5	2.2	2.2	3.6	5.7	8.2	22.5	23.5	23.5
	1.5kW	2.2kW	2.2kW	4.5kW	4.5kW	7.1kW	1.4	2.0	2.0	4.1	4.1	6.5	19.7	20.0	20.0	1.6	2.3	2.3	4.8	4.8	7.7	21.5	23.5	23.5
	1.5kW	2.2kW	2.2kW	4.5kW	4.5kW	8.0kW	1.3	1.9	1.9	3.9	3.9	7.0	20.0	20.0	20.0	1.6	2.2	2.2	4.6	4.6	8.3	22.3	23.5	23.5
	1.5kW	2.2kW	2.2kW	4.5kW	5.6kW	7.1kW	1.3	1.9	1.9	3.9	4.8	6.1	20.0	20.0	20.0	1.5	2.2	2.2	4.6	5.7	7.3	22.6	23.5	23.5
	1.5kW	2.2kW	2.2kW	4.5kW	5.6kW	8.0kW	1.3	1.8	1.8	3.8	4.7	6.7	20.0	20.0	20.0	1.5	2.1	2.1	4.4	5.5	7.9	23.4	23.5	23.5
	1.5kW	2.2kW	2.2kW	5.6kW	5.6kW	7.1kW	1.2	1.8	1.8	4.6	4.6	5.9	20.0	20.0	20.0	1.5	2.1	2.1	5.5	5.5	6.9	23.5	23.5	23.5
	1.5kW	2.2kW	2.2kW	5.6kW	5.6kW	8.0kW	1.2	1.8	1.8	4.5	4.5	6.4	20.0	17.4	18.8	1.4	2.0	2.0	5.3	5.3	7.5	23.5	23.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	2.8kW	7.1kW	1.5	2.2	2.8	2.8	2.8	7.1	17.2	18.3	19.7	1.7	2.4	3.2	3.2	3.2	8.0	19.0	21.7	23.1
	1.5kW	2.2kW	2.8kW	2.8kW	2.8kW	8.0kW	1.5	2.2	2.8	2.8	2.8	8.0	18.0	18.0	19.4	1.7	2.4	3.2	3.2	3.2	9.0	19.8	22.7	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	3.6kW	7.1kW	1.5	2.2	2.8	2.8	3.6	7.1	17.9	18.9	20.0	1.7	2.4	3.2	3.2	4.0	8.0	19.7	22.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	3.6kW	8.0kW	1.4	2.1	2.7	2.7	3.4	7.7	18.7	18.8	20.0	1.7	2.4	3.2	3.2	4.0	9.0	20.5	23.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	4.5kW	7.1kW	1.4	2.1	2.7	2.7	4.3	6.8	18.7	19.7	20.0	1.7	2.4	3.2	3.2	5.0	8.0	20.6	23.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	4.5kW	8.0kW	1.4	2.0	2.6	2.6	4.1	7.3	19.5	19.7	20.0	1.6	2.3	3.1	3.1	4.8	8.6	21.4	23.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	5.6kW	7.1kW	1.4	2.0	2.5	2.5	5.1	6.5	19.7	20.0	20.0	1.6	2.3	3.0	3.0	6.0	7.6	21.7	23.5	23.5
	1.5kW	2.2kW	2.8kW	2.8kW	5.6kW	8.0kW	1.3	1.9	2.4	2.4	4.9	7.0	20.0	20.0	20.0	1.5	2.2	2.9	2.9	5.7	8.2	22.5	23.5	23.5
	1.5kW	2.2kW	2.8kW	3.6kW	3.6kW	7.1kW	1.4	2.1	2.7	3.5	3.5	6.8	18.6	20.0	20.0	1.7	2.4	3.2	4.0	4.0	8.0	20.4	23.3	23.5
	1.5kW	2.2kW	2.8kW																					

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
6 units	1.5kW	2.8kW	2.8kW	2.8kW	4.5kW	7.1kW	1.4	2.6	2.6	2.6	4.2	6.6	19.2	20.0	20.0	1.6	3.1	3.1	3.1	4.8	7.7	21.3	23.5	23.5
	1.5kW	2.8kW	2.8kW	2.8kW	4.5kW	8.0kW	1.3	2.5	2.5	2.5	4.0	7.1	20.0	20.0	20.0	1.6	3.0	3.0	3.0	4.6	8.4	22.1	23.5	23.5
	1.5kW	2.8kW	2.8kW	2.8kW	5.6kW	7.1kW	1.3	2.5	2.5	2.5	5.0	6.3	20.0	20.0	20.0	1.6	2.9	2.9	2.9	5.8	7.3	22.4	23.5	23.5
	1.5kW	2.8kW	2.8kW	2.8kW	5.6kW	8.0kW	1.3	2.4	2.4	2.4	4.8	6.8	20.0	20.0	20.0	1.5	2.8	2.8	2.8	5.6	8.0	23.2	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	3.6kW	7.1kW	1.4	2.6	2.6	3.4	3.4	6.6	19.1	20.0	20.0	1.7	3.1	3.1	3.9	3.9	7.8	21.1	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	3.6kW	8.0kW	1.3	2.5	2.5	3.2	3.2	7.2	19.9	20.0	20.0	1.6	3.0	3.0	3.7	3.7	8.4	21.9	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	4.5kW	7.1kW	1.3	2.5	2.5	3.2	4.0	6.4	19.9	20.0	20.0	1.6	3.0	3.0	3.7	4.7	7.5	22.0	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	4.5kW	8.0kW	1.3	2.4	2.4	3.1	3.9	6.9	20.0	20.0	20.0	1.5	2.9	2.9	3.6	4.5	8.1	22.8	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	5.6kW	7.1kW	1.3	2.4	2.4	3.1	4.8	6.1	20.0	20.0	20.0	1.5	2.8	2.8	3.6	5.6	7.1	23.1	23.5	23.5
	1.5kW	2.8kW	2.8kW	3.6kW	5.6kW	8.0kW	1.2	2.3	2.3	3.0	4.6	6.6	20.0	20.0	20.0	1.5	2.7	2.7	3.4	5.4	7.7	23.5	23.5	23.5
	1.5kW	2.8kW	2.8kW	4.5kW	4.5kW	7.1kW	1.3	2.4	2.4	3.9	3.9	6.1	20.0	20.0	20.0	1.5	2.9	2.9	4.5	4.5	7.2	22.9	23.5	23.5
	1.5kW	2.8kW	2.8kW	4.5kW	4.5kW	8.0kW	1.2	2.3	2.3	3.7	3.7	6.6	20.0	20.0	20.0	1.5	2.8	2.8	4.3	4.3	7.8	23.5	23.5	23.5
	1.5kW	2.8kW	2.8kW	4.5kW	5.6kW	7.1kW	1.2	2.3	2.3	3.7	4.6	5.8	20.0	20.0	20.0	1.5	2.7	2.7	4.3	5.4	6.9	23.5	23.5	23.5
	1.5kW	2.8kW	2.8kW	4.5kW	5.6kW	8.0kW	1.2	2.2	2.2	3.6	4.4	6.3	20.0	20.0	20.0	1.4	2.6	2.6	4.1	5.2	7.4	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	3.6kW	7.1kW	1.4	2.5	3.2	3.2	3.2	6.4	19.8	20.0	20.0	1.6	3.0	3.8	3.8	3.8	7.6	21.8	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	3.6kW	8.0kW	1.3	2.4	3.1	3.1	3.1	6.9	20.0	20.0	20.0	1.5	2.9	3.6	3.6	3.6	8.2	22.6	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	3.6kW	7.1kW	1.3	2.4	3.1	3.1	3.9	6.1	20.0	20.0	20.0	1.5	2.9	3.6	3.6	4.5	7.3	22.7	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	4.5kW	8.0kW	1.3	2.3	3.0	3.0	3.8	6.7	20.0	20.0	20.0	1.5	2.8	3.5	3.5	4.4	7.9	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	5.6kW	7.1kW	1.2	2.3	3.0	3.0	4.6	5.9	20.0	20.0	20.0	1.5	2.8	3.5	3.5	5.4	6.9	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	3.6kW	5.6kW	8.0kW	1.2	2.2	2.9	2.9	4.5	6.4	20.0	20.0	20.0	1.4	2.7	3.3	3.3	5.3	7.5	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	4.5kW	4.5kW	7.1kW	1.3	2.3	3.0	3.8	3.8	5.9	20.0	20.0	20.0	1.5	2.8	3.5	4.4	4.4	7.0	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	4.5kW	4.5kW	8.0kW	1.2	2.2	2.9	3.6	3.6	6.4	20.0	20.0	20.0	1.4	2.7	3.4	4.2	4.2	7.6	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	4.5kW	5.6kW	7.1kW	1.2	2.2	2.9	3.6	4.5	5.7	20.0	20.0	20.0	1.4	2.7	3.3	4.2	5.3	6.7	23.5	23.5	23.5
	1.5kW	2.8kW	3.6kW	4.5kW	5.6kW	8.0kW	1.2	2.2	2.8	3.5	4.3	6.2	20.0	20.0	20.0	1.4	2.6	3.2	4.0	5.1	7.2	23.5	23.5	23.5
	1.5kW	2.8kW	4.5kW	4.5kW	4.5kW	7.1kW	1.2	2.2	3.6	3.6	3.6	5.7	20.0	20.0	20.0	1.4	2.7	4.2	4.2	4.2	6.7	23.5	23.5	23.5
	1.5kW	2.8kW	4.5kW	4.5kW	4.5kW	8.0kW	1.2	2.2	3.5	3.5	3.5	6.2	20.0	19.8	20.0	1.4	2.6	4.1	4.1	4.1	7.3	23.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	3.6kW	7.1kW	1.3	3.1	3.1	3.1	3.1	6.2	20.0	20.0	20.0	1.6	3.7	3.7	3.7	3.7	7.3	22.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	3.6kW	8.0kW	1.3	3.0	3.0	3.0	3.0	6.7	20.0	20.0	20.0	1.5	3.5	3.5	3.5	3.5	7.9	23.3	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	4.5kW	7.1kW	1.3	3.0	3.0	3.0	3.8	5.9	20.0	20.0	20.0	1.5	3.5	3.5	3.5	4.4	7.0	23.4	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	4.5kW	8.0kW	1.2	2.9	2.9	2.9	3.6	6.5	20.0	20.0	20.0	1.4	3.4	3.4	3.4	4.2	7.6	23.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	5.6kW	7.1kW	1.2	2.9	2.9	2.9	4.5	5.7	20.0	20.0	20.0	1.4	3.4	3.4	3.4	5.3	6.7	23.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	3.6kW	5.6kW	8.0kW	1.2	2.8	2.8	2.8	4.3	6.2	20.0	20.0	20.0	1.4	3.2	3.2	3.2	5.1	7.3	23.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	4.5kW	4.5kW	7.1kW	1.2	2.9	2.9	3.6	3.6	5.7	20.0	20.0	20.0	1.4	3.4	3.4	4.2	4.2	6.8	23.5	23.5	23.5
	1.5kW	3.6kW	3.6kW	4.5kW	4.5kW	8.0kW	1.2	2.8	2.8	3.5	3.5	6.2	20.0	20.0	20.0	1.4	3.3	3.3	4.1	4.1	7.4	23.5	23.5	23.5
	2.2kW	2.2kW	2.2kW	2.2kW	2.2kW	7.1kW	2.2	2.2	2.2	2.2	2.2	7.1	16.3	20.0	20.0	2.4	2.4	2.4	2.4	2.4	8.0	17.5	20.0	21.5
	2.2kW	2.2kW	2.2kW	2.2kW	2.2kW	8.0kW	2.2	2.2	2.2	2.2	2.2	8.0	17.1	20.0	20.0	2.4	2.4	2.4	2.4	2.4	9.0	18.3	21.0	22.5
	2.2kW	2.2kW	2.2kW	2.2kW	2.8kW	7.1kW	2.2	2.2	2.2	2.2	2.8	7.1	16.8	20.0	20.0	2.4	2.4	2.4	2.4	3.2	8.0	18.2	20.8	22.3
	2.2kW	2.2kW	2.2kW	2.2kW	2.8kW	8.0kW	2.2	2.2	2.2	2.2	2.8	8.0	17.6	20.0	20.0	2.4	2.4	2.4	2.4	3.2	9.0	19.0	21.8	23.3
	2.2kW	2.2kW	2.2kW	2.2kW	3.6kW	7.1kW	2.2	2.2	2.2	2.2	3.6	7.1	17.5	20.0	20.0	2.4	2.4	2.4	2.4	4.0	8.0	18.9	21.6	23.1
	2.2kW	2.2kW	2.2kW	2.2kW	3.6kW	8.0kW	2.2	2.2	2.2	2.2	3.5	7.8	18.3	20.0	20.0	2.4	2.4	2.4	2.4	4.0	9.0	19.7	22.6	23.5
	2.2kW	2.2kW	2.2kW	2.2kW	4.5kW	7.1kW	2.2	2.2	2.2	2.2	4.4	7.0	18.3	20.0	20.0	2.4	2.4	2.4	2.4	5.0	8.0	19.8	22.6	23.5
	2.2kW	2.2kW	2.2kW	2.2kW	4.5kW	8.0kW	2.1	2.1	2.1	2.1	4.2	7.5	19.1	20.0	20.0	2.4	2.4	2.4	2.4	5.0	9.0	20.6	23.5	23.5
	2.2kW	2.2kW	2.2kW	2.2kW	5.6kW	7.1kW	2.0	2.0	2.0	2.0	5.2	6.6	19.3	20.0	20.0	2.4	2.4	2.4	2.4	6.2	7.9	20.9	23.5	23.5
	2.2kW	2.2kW	2.2kW	2.2kW	5.6kW	8.0kW	2.0	2.0	2.0	2.0	5.0	7.1	20.0	20.0	20.0	2.3	2.3	2.3	2.3	5.9	8.5	21.7	23.5	23.5
	2.2kW	2.2kW	2.2kW	2.8kW	2.8kW	7.1kW	2.2	2.2	2.2	2.8	2.8	7.1	17.3	20.0	20.0	2.4	2.4	2.4	3.2	3.2	8.0	18.9	21.6	23.1
	2.2kW	2.2kW	2.2kW	2.8kW	2.8kW	8.0kW	2.2	2.2	2.2	2.8	2.8	7.9	18.1	20.0	20.0	2.4	2.4	2.4	3.2	3.2	9.0	19.7	22.6	23.5
	2.2kW	2.2kW	2.2kW	2.8kW	3.6kW	7.1kW	2.2	2.2	2.2	2.8	3.6	7.1	18.0	20.0	20.0	2.4	2.4	2.4	3.2	4.0	8.0	19.6	22.4	23.5
	2.2kW	2.2kW	2.2kW																					

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Unit F	Min	Rated	Max
6 units	2.2kW	2.2kW	2.8kW	3.6kW	4.5kW	7.1kW	2.0	2.0	2.5	3.2	4.0	6.3	20.0	20.0	20.0	2.3	2.3	3.0	3.8	4.7	7.5	21.9	23.5	23.5
	2.2kW	2.2kW	2.8kW	3.6kW	4.5kW	8.0kW	1.9	1.9	2.4	3.1	3.9	6.9	20.0	20.0	20.0	2.2	2.2	2.9	3.6	4.5	8.1	22.7	23.5	23.5
	2.2kW	2.2kW	2.8kW	3.6kW	5.6kW	7.1kW	1.9	1.9	2.4	3.1	4.8	6.0	20.0	20.0	20.0	2.1	2.1	2.9	3.6	5.6	7.1	23.0	23.5	23.5
	2.2kW	2.2kW	2.8kW	3.6kW	5.6kW	8.0kW	1.8	1.8	2.3	3.0	4.6	6.6	20.0	20.0	20.0	2.1	2.1	2.8	3.4	5.4	7.7	23.5	23.5	23.5
	2.2kW	2.2kW	2.8kW	4.5kW	4.5kW	7.1kW	1.9	1.9	2.4	3.9	3.9	6.1	20.0	20.0	20.0	2.2	2.2	2.9	4.5	4.5	7.2	22.8	23.5	23.5
	2.2kW	2.2kW	2.8kW	4.5kW	4.5kW	8.0kW	1.8	1.8	2.3	3.7	3.7	6.6	20.0	20.0	20.0	2.1	2.1	2.8	4.4	4.4	7.8	23.5	23.5	23.5
	2.2kW	2.2kW	2.8kW	4.5kW	5.6kW	7.1kW	1.8	1.8	2.3	3.7	4.6	5.8	20.0	20.0	20.0	2.1	2.1	2.8	4.3	5.4	6.9	23.5	23.5	23.5
	2.2kW	2.2kW	2.8kW	4.5kW	5.6kW	8.0kW	1.7	1.7	2.2	3.6	4.4	6.3	20.0	20.0	20.0	2.0	2.0	2.7	4.2	5.2	7.5	23.5	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	3.6kW	7.1kW	2.0	2.0	3.2	3.2	3.2	6.4	19.9	20.0	20.0	2.3	2.3	3.8	3.8	3.8	7.6	21.7	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	3.6kW	8.0kW	1.9	1.9	3.1	3.1	3.1	6.9	20.0	20.0	20.0	2.2	2.2	3.6	3.6	3.6	8.2	22.5	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	4.5kW	7.1kW	1.9	1.9	3.1	3.1	3.9	6.1	20.0	20.0	20.0	2.2	2.2	3.6	3.6	4.6	7.3	22.6	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	4.5kW	8.0kW	1.8	1.8	3.0	3.0	3.7	6.6	20.0	20.0	20.0	2.1	2.1	3.5	3.5	4.4	7.9	23.4	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	5.6kW	7.1kW	1.8	1.8	3.0	3.0	4.6	5.8	20.0	20.0	20.0	2.1	2.1	3.5	3.5	5.5	6.9	23.5	23.5	23.5
	2.2kW	2.2kW	3.6kW	3.6kW	5.6kW	8.0kW	1.7	1.7	2.9	2.9	4.4	6.3	20.0	20.0	20.0	2.0	2.0	3.3	3.3	5.3	7.5	23.5	23.5	23.5
	2.2kW	2.2kW	3.6kW	4.5kW	4.5kW	7.1kW	1.8	1.8	3.0	3.7	3.7	5.9	20.0	20.0	20.0	2.1	2.1	3.5	4.4	4.4	7.0	23.5	23.5	23.5
	2.2kW	2.2kW	3.6kW	4.5kW	4.5kW	8.0kW	1.8	1.8	2.9	3.6	3.6	6.4	20.0	20.0	20.0	2.0	2.0	3.4	4.2	4.2	7.6	23.5	23.5	23.5
	2.2kW	2.2kW	4.5kW	4.5kW	4.5kW	7.1kW	1.8	1.8	3.6	3.6	3.6	5.7	20.0	20.0	20.0	2.0	2.0	4.2	4.2	4.2	6.8	23.5	23.5	23.5
	2.2kW	2.2kW	4.5kW	4.5kW	4.5kW	8.0kW	1.7	1.7	3.5	3.5	3.5	6.2	20.0	20.0	20.0	2.0	2.0	4.1	4.1	4.1	7.3	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	2.8kW	7.1kW	2.1	2.7	2.7	2.7	2.7	6.9	18.3	20.0	20.0	2.4	3.2	3.2	3.2	3.2	8.0	20.3	23.2	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	2.8kW	8.0kW	2.1	2.6	2.6	2.6	2.6	7.5	19.1	19.9	20.0	2.3	3.1	3.1	3.1	3.1	8.7	21.1	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	3.6kW	7.1kW	2.1	2.6	2.6	2.6	3.4	6.7	19.0	20.0	20.0	2.4	3.1	3.1	3.1	3.9	7.8	21.0	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	3.6kW	8.0kW	2.0	2.5	2.5	2.5	3.2	7.2	19.8	20.0	20.0	2.3	3.0	3.0	3.0	3.8	8.5	21.8	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	4.5kW	7.1kW	2.0	2.5	2.5	2.5	4.1	6.4	19.8	20.0	20.0	2.3	3.0	3.0	3.0	4.7	7.5	21.9	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	4.5kW	8.0kW	1.9	2.4	2.4	2.4	3.9	6.9	20.0	20.0	20.0	2.2	2.9	2.9	2.9	4.5	8.1	22.7	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	5.6kW	7.1kW	1.9	2.4	2.4	2.4	4.8	6.1	20.0	20.0	20.0	2.1	2.9	2.9	2.9	5.6	7.1	23.0	23.5	23.5
	2.2kW	2.8kW	2.8kW	2.8kW	5.6kW	8.0kW	1.8	2.3	2.3	2.3	4.6	6.6	20.0	20.0	20.0	2.1	2.8	2.8	2.8	5.4	7.7	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	3.6kW	7.1kW	2.0	2.5	2.5	3.3	3.3	6.4	19.7	20.0	20.0	2.3	3.0	3.0	3.8	3.8	7.6	21.7	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	3.6kW	8.0kW	1.9	2.4	2.4	3.1	3.1	7.0	20.0	20.0	20.0	2.2	2.9	2.9	3.6	3.6	8.2	22.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	4.5kW	7.1kW	1.9	2.4	2.4	3.1	3.9	6.2	20.0	20.0	20.0	2.2	2.9	2.9	3.6	4.6	7.3	22.6	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	4.5kW	8.0kW	1.8	2.3	2.3	3.0	3.8	6.7	20.0	20.0	20.0	2.1	2.8	2.8	3.5	4.4	7.9	23.4	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	5.6kW	7.1kW	1.8	2.3	2.3	3.0	4.6	5.9	20.0	20.0	20.0	2.1	2.8	2.8	3.5	5.5	6.9	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	3.6kW	5.6kW	8.0kW	1.8	2.2	2.2	2.9	4.5	6.4	20.0	20.0	20.0	2.0	2.7	2.7	3.3	5.3	7.5	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	4.5kW	4.5kW	7.1kW	1.8	2.3	2.3	3.8	3.8	5.9	20.0	20.0	20.0	2.1	2.8	2.8	4.4	4.4	7.0	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	4.5kW	4.5kW	8.0kW	1.8	2.3	2.3	3.6	3.6	6.5	20.0	20.0	20.0	2.0	2.7	2.7	4.2	4.2	7.6	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	4.5kW	5.6kW	7.1kW	1.8	2.2	2.2	3.6	4.5	5.7	20.0	20.0	20.0	2.0	2.7	2.7	4.2	5.3	6.7	23.5	23.5	23.5
	2.2kW	2.8kW	2.8kW	4.5kW	5.6kW	8.0kW	1.7	2.2	2.2	3.5	4.3	6.2	20.0	20.0	20.0	1.9	2.6	2.6	4.0	5.1	7.3	23.5	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	3.6kW	7.1kW	1.9	2.4	3.1	3.1	3.1	6.2	20.0	20.0	20.0	2.2	2.9	3.7	3.7	3.7	7.3	22.4	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	3.6kW	8.0kW	1.8	2.4	3.0	3.0	3.0	6.7	20.0	20.0	20.0	2.1	2.8	3.5	3.5	3.5	8.0	23.2	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	4.5kW	7.1kW	1.8	2.4	3.0	3.0	3.8	6.0	20.0	20.0	20.0	2.1	2.8	3.5	3.5	4.4	7.1	23.3	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	4.5kW	8.0kW	1.8	2.3	2.9	2.9	3.6	6.5	20.0	20.0	20.0	2.0	2.7	3.4	3.4	4.3	7.7	23.5	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	5.6kW	7.1kW	1.8	2.2	2.9	2.9	4.5	5.7	20.0	20.0	20.0	2.0	2.7	3.4	3.4	5.3	6.7	23.5	23.5	23.5
	2.2kW	2.8kW	3.6kW	3.6kW	5.6kW	8.0kW	1.7	2.2	2.8	2.8	4.3	6.2	20.0	20.0	20.0	2.0	2.6	3.3	3.3	5.1	7.3	23.5	23.5	23.5
	2.2kW	2.8kW	3.6kW	4.5kW	4.5kW	7.1kW	1.8	2.3	2.9	3.6	3.6	5.7	20.0	20.0	20.0	2.0	2.7	3.4	4.3	4.3	6.8	23.5	23.5	23.5
	2.2kW	2.8kW	3.6kW	4.5kW	4.5kW	8.0kW	1.7	2.2	2.8	3.5	3.5	6.3	20.0	20.0	20.0	2.0	2.6	3.3	4.1	4.1	7.4	23.5	23.5	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	3.6kW	7.1kW	1.9	3.0	3.0	3.0	3.0	6.0	20.0	20.0	20.0	2.1	3.6	3.6	3.6	3.6	7.1	23.1	23.5	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	3.6kW	8.0kW	1.8	2.9	2.9	2.9	2.9	6.5	20.0	20.0	20.0	2.1	3.4	3.4	3.4	3.4	7.7	23.5	23.5	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	4.5kW	7.1kW	1.8	2.9	2.9	2.9	3.7	5.8	20.0	20.0	20.0	2.1	3.4	3.4	3.4	4.3	6.9	23.5	23.5	23.5
	2.2kW	3.6kW	3.6kW	3.6kW	4.5kW	8.0kW	1.7	2.8	2.8	2.8	3.5	6.3	20.0	20.0										

Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive,
Keysborough, Victoria 3173

For further information
call 1300 555 545 or visit
rinnai.com.au

TOTAL HOME COMFORT



HOT WATER



HEATING



COOLING

Rinnai