



Rinnai envíroflo

# **Enviroflo B Series**

Energy Efficient Heat Pump

## **Features and Benefits**

# **Technical Information**

## 10

#### **Energy Efficient**



Innovative controller to maximise hot water availability while using up to 70% less energy\*, compared to a standard electric storage tank.



### Reliable

Inbuilt electric element to ensure you always have a reliable supply of hot water.



### **Big Performance**

Large 215L storage capacity to suit your hot water needs.



### **Auto Disinfection**

Built in auto disinfection function to prevent the potential growth of legionella.



#### **Environmentally Focused**

Just 380g charge of high efficiency R290 refrigerant with a low Global Warming Potential of just 0.02.



Tough 850 kPa maximum water pressure rating.

\* Energy saving of up to 70% based on a Rinnai Enviroflo 215ltr Heat Pump when compared to a standard electric water heater of the same capacity during peak winter load in Zone 1 based on AS/NZS4234. Savings will vary depending upon your location (Zone 1-5), type of water heater being replaced, hot water consumption and associated fuel tariffs

## Warranty

		Cylinder*	Refrigeration Components <sup>(1)</sup>	Other Components <sup>(2)</sup>	
Domestic Use	Parts	5 Years	3 Years		
	Labour	3 Years	1 Year	1 Year	
Commercial Use	Parts	41/4-55	11/2 - 22		
	Labour	1 Year	1 Year		

(1) Refrigeration Components include but are not limited to: compressor, condenser, expansion valve, heat exchanger, evaporator and associated pipe work. (2) Other Components include but are not limited to: sensors, thermostats, valves, electric heating elements, anodes. \* Inner Storage Cylinder

$\frown$	
$\smile$	







**Convenient Wi-Fi Timer** Wi-Fi timer function to optimise running costs.

#### Adaptable for All Climates Ambient air conditions ranging from -7 to 43°C.



ໃບບ

## Defrost Control

Built in anti-frost function to protect the evaporator in colder climates.

### **Quiet Operations**

Quiet operation with integrated low noise design.

### Automated

Auto restart function - in the event of a power outage it will automatically restart once the power is re-instated.

Model	Description	A B Diameter Hot Outlet (mm) (mm)		C Cold Inlet (mm)	D Height (mm)	Height Weight	
EHPS215VM	215L Enviroflo	620	917	136	1544	108	


	Technical Information
Noise	
Ambient Temperature Limits (for I	heat pump operation - element will operate beyond thes
Ingress Protection	
Storage Cylinder - Hot Outlet and	Cold inlet Connections
Storage Cylinder - PTR Valve Cor	nnection
PTR Setting	
ECV Fitted	Fit PLV if mains pressure exceeds
	Recommended PLV pressure rating
	Fit PLV if mains pressure exceeds
ECV Not Fitted	Recommended PLV pressure rating
Rated Input Electric Element (Fac	story Wired)
Maximum Input Refrigeration Mo	dule (Factory Wired)
Total Maximum Input	
Maximum Energy Output	
Power Supply	
Maximum Current	
Refrigerant Type / Mass	
COP (32.6°C Ambient 21.1°C cold	water inlet)
Heat Pump heating capacity (32.6	S°C Ambient 21.1°C cold water inlet)



Value
46 dB(A)
-7°C - 43°C
IP24
ISO 7.1 ¾" RP
ISO 7.1 ¾" RP
850 kPa / 46 kW
680 kPa
500 kPa
800 kPa
500 kPa
2.1 kW
1.1 kW
2.1 kW
4.5 kW
220 - 240 V AC, 50Hz
10 Amps (15 Amp plug fitted)
R290/380g
7.6
3.6 kW

Α <u>ં</u>યડું Rinnai enviroflo D B

# **Government Grants**



### **Federal Small-Scale Technology** Certificate (STC's)

Enviroflo's innovative design allows it to be eligible for Grants through the Federal Governments Small-scale Renewable Energy Scheme, generously covering a proportion of the up-front costs of purchasing and installing the system. These grants are called Small-scale Technology Certificates (STC's) and are offered based on how sustainable a hot water system is. Your STC rebate value will depend on your installation location, see the map above for your geographic Zone locations.

Certified System Code	STCs from Jan 1 <sup>st</sup> 2023 to Dec 31 <sup>st</sup> 2023			STCs from Jan 1 <sup>st</sup> 2024 to Dec 31 <sup>st</sup> 2024						
	Zone 1	Zone 2	Zone 3	Zone 4		Zone 1	Zone 2	Zone 3	Zone 4	
Heat Pump										
EHPS215VM	20	19	23			17	16	20		

### **State Grants**

### Victoria

For Victorian consumers there are additional rebates available for replacing inefficient hot water systems with Heat Pumps. Victorian Energy Efficiency Certificates (VEECs) are offered for eligible installations on top of the Federal STC grants making the conversion to a Rinnai Enviroflo Heat pump the obvious low-cost choice.

### **New South Wales**

For New South Wales consumers there are additional rebates available for replacing inefficient hot water systems with Heat Pumps. Energy Savings Certificates (ESCs) are offered for eligible installations on top of the Federal STC grants - making the conversion to a Rinnai Enviroflo Heat pump the obvious low-cost choice.

\*The value of STCs and State Grants are a tradable, market driven commodity. Values are subject to daily variation and are valid as of 01/05/2022

### **Rinnai Australia Pty Ltd**

ABN 74 005 138 769

100 Atlantic Drive, Keysborough, Victoria 3173

For further information call 1300 555 545 or visit rinnai.com.au

### **TOTAL HOME COMFORT**





